

# THE POWER TO CHOOSE



**Huskie  
TOOLS**

LINEMAN PROVEN

UTILITY APPROVED

SINCE 1976

SERIES **7R**  
PRO LINE

SERIES **7M**  
PRO LINE

BUILT FOR EVERYTHING THAT'S ON THE LINE™

[CHOOSEHUSKIEPOWER.HUSKIETOOLS.COM](http://CHOOSEHUSKIEPOWER.HUSKIETOOLS.COM)

Huskie Tools is not affiliated with, authorized, or endorsed by Milwaukee Electric Tool Corporation. Milwaukee listed batteries and chargers are being re-sold by Huskie Tools. Milwaukee® M18™ REDLITHIUM™ are registered trademarks of Milwaukee Electric Tool Corporation. Huskie Tools is not affiliated with, authorized, or endorsed by Makita® Corporation. Makita® listed batteries and chargers are being re-sold by Huskie Tools. Makita® and LXT® are registered trademarks of Makita® Corporation.



# YOUR JOB IS TOUGH. YOUR TOOL CHOICE IS EASY.

## INTRODUCING THE 7TH GENERATION OF BATTERY-POWERED HYDRAULIC LINEMAN TOOLS: **SERIES 7R**

Huskie Tools is the #1 choice of experienced linemen who know and trust the brand that introduced battery-powered hydraulic tools.

For 45 years we have been developing and building the broadest, most durable and dependable line of battery-powered hydraulic cutting and compression tools in the utility industry.

Huskie Tools delivers battery-powered hydraulic tools that work with multiple leading battery platforms; Makita®, Huskie Tools® and now Milwaukee®.

### ENGINEERED PERFORMANCE:

- **OPTIMIZED HYDRAULICS—  
20% FASTER ADVANCE AND  
30% FASTER RETRACTION**
- **PATENT-PENDING SELECTABLE  
ON/OFF AUTO-RETRACT**
- **FORGED JAWS WITH PROTECTIVE  
BRUSH GUARDS**
- **WEATHER RESISTANT,  
NON-VENTED HOUSINGS**
- **CHOICES: INLINE, GEAR DRIVE,  
PISTOL-GRIP, AND LUNCH BOX**

**LEARN MORE ABOUT HOW HUSKIE TOOLS  
OUTPERFORM, OUTLAST & OUTWORK AT  
[CHOOSEHUSKIEPOWER.HUSKIETOOLS.COM](http://CHOOSEHUSKIEPOWER.HUSKIETOOLS.COM)**



**SERIES 7R  
61 NEW TOOLS ON  
THE MILWAUKEE®  
BATTERY PLATFORM!**

SL-RL7ND

Huskie Tools is not affiliated with, authorized, or endorsed by Milwaukee Electric Tool Corporation. Milwaukee listed batteries and chargers are being re-sold by Huskie Tools. Milwaukee® M18™ REDLITHIUM™ are registered trademarks of Milwaukee Electric Tool Corporation. Huskie Tools is not affiliated with, authorized, or endorsed by Makita® Corporation. Makita® listed batteries and chargers are being re-sold by Huskie Tools. Makita® and LXT® are registered trademarks of Makita® Corporation.

**M18 REDLITHIUM  
XCS.O**



**Huskie  
TOOLS**

**LINEMAN PROVEN**

**UTILITY APPROVED**

SINCE 1976

### 34 NEW S7R COMPRESSION TOOLS



SL-RL7ND  
6 TON INLINE



REC-RL7510  
12 TON PISTOL-GRIP



SL-RL7610  
15 TON INLINE

### 24 NEW S7R CUTTING TOOLS



REC-RLS740L  
8 TON PISTOL-GRIP  
AL/CU UP TO 1.5" DIA.  
ACSR UP TO 1590 MCM



REC-RL754M  
GEAR DRIVE  
AL UP TO 1500 MCM  
CU UP TO 750 MCM  
ACSR UP TO 1590 MCM



S7L-RL105YC  
12 TON LUNCH BOX  
AL/CU UP TO 4" DIA.  
COMM. CABLES UP TO 4" DIA.



THE POWER TO CHOOSE.

**SERIES 7M**  
74 TOOLS  
ON THE MAKITA®  
BATTERY  
PLATFORM.

SL-MK7ND

45

YEARS OF  
INNOVATION  
EXCELLENCE

7

GENERATIONS  
OF BATTERY  
POWERED TOOLS

191

BATTERY  
POWERED  
TOOLS

3

BATTERY  
PLATFORMS:  
SERIES 7R  
SERIES 7M  
SERIES 6



# UTILITY-GRADE



VERSATILE ROTATING HEAD

PATENT-PENDING SELECTABLE  
AUTO-RETRACT SWITCH

TOOL ADVANCE TRIGGER

TOOL RELEASE TRIGGER

BRIGHT LED  
WORK LIGHT

LED TOOL STATUS  
INDICATOR

BATTERY CHARGE  
LEVEL INDICATOR

Huskie Tools is not affiliated with, authorized, or endorsed by Milwaukee Electric Tool Corporation. Milwaukee listed batteries and chargers are being re-sold by Huskie Tools. Milwaukee® M18™ REDLITHIUM™ are registered trademarks of Milwaukee Electric Tool Corporation.

## UTILITY GRADE

Durable, dependable, built to last

## LIVE LINE RATED

Tested to 75kV without damage to internal circuitry

## COMPLETE LINE

6 to 15 ton power

## OPTIMIZED HYDRAULICS

Fast advance & retract speeds

## RAPID CHARGING

Full charge in 45 minutes or less

## CONSTANT POWER

Longer run times, consistent charge



# FEATURES & TECHNOLOGY



## 18V LITHIUM-ION BATTERY PLATFORM

Featuring consistent power and extended runtimes, these fast charging batteries include an integrated LED battery charge level indicator for easy monitoring.



## PERFORMANCE, GUARANTEED

SL & REC tools offer 5-Yr. Tool Warranty, IL tools offer 3-Yr. Tool Warranty and ECO offers 1-Yr. Tool Warranty. Milwaukee and Makita batteries and chargers are warranted for 3 years by Huskie Tools.



## LED WORKLIGHT

Built-in white LED light aimed at tool jaws for working in low light conditions.



## ACSR CABLE CUTTING

Specially designed jaws for strength and durability when cutting ACSR.



75KV

## LIVE LINE RATED

Tested up to 75kV for use on live line applications without damage to internal circuitry.

# BUILT FOR EVERYTHING THAT'S ON THE LINE.™

## INNOVATION.

Since introducing the industry's first battery-powered hydraulic tools in 1989, Huskie Tools remains dedicated to developing product solutions that help ensure linemen safely and efficiently perform some of the most dangerous and demanding jobs on the planet.

## DURABILITY.

Over the years we've developed a bit of a reputation; we like to think legendary. Huskie Tools hydraulics combine the highest quality materials with advanced technology to provide ultimate reliability. Simply put, Huskie Tools are the most durable, dependable, and longest lasting lineman tools in the industry.

## SERVICE & SUPPORT.

We take pride in serving the needs of the utility industry. Through in-depth industry knowledge and unsurpassed tool expertise, Huskie Tools provides truly exceptional customer service, technical support and product service.

## EXPERIENCE.

We've spent the last 45+ years doing one thing, building the best hydraulic cutting and compression tools in the utility industry. We live, eat, and breathe lineman tools. At Huskie Tools they're not just tools, they're our business—our ONLY business.

## FULL LINE.

No other competitor comes close to the breadth of line and complete range of product solutions available from Huskie Tools. When it's on the line, linemen count on Huskie Tools for all their distribution, substation, transmission, overhead and underground projects.

# TABLE OF CONTENTS



## CUTTING TOOLS

PG **33**



## COMPRESSION TOOLS

PG **7**



## BATTERY AND CHARGERS

PG **60**



## IL & ECO TOOLS

PG **56**





# COMPRESSION TOOLS

- Ergonomic design for easy one-hand operation
- Optimized hydraulics offer 20% faster advance and 30% faster retraction speeds than previous generation tools
- Patent pending Auto-Retract feature on pistol grip models provides a user-selectable ON/OFF switch to enable or disable automatic cycle retraction
- Choices include INLINE, PISTOL-GRIP, and LUNCH BOX style tools
- 5 Yr. Tool/3 Yr. Battery—Huskie Tools Limited Warranty

# SL-MK7ND

## 6 TON INLINE COMPRESSION TOOL—WITH CHANGEABLE HEADS

THE POWER TO CHOOSE.



SL-MK7ND

**SERIES 7M**  
PRO LINE



SL-MK7ND

### FEATURES

Ergonomic design for easy one-hand operation

180° rotating head with forged jaws and protective brush guards

Pull-pin head design allows quick change of available jaws

Accepts all “W”, “X” & “O” type dies depending on jaw selected

5 yr. Tool/3 yr. Battery—Huskie Tools Limited Warranty

### CUTTING CAPACITIES

	EVS-ACSRJAW	EVS-CUALJAW	SLGW-JAW
<b>COPPER</b>	Up to 350 MCM	Up to 750 MCM	Up to 4/0
<b>ALUMINUM</b>	Up to 350 MCM	Up to 1" O.D.	Up to 4/0
<b>ACSR</b>	Up to 556 MCM	<i>Do Not Cut</i>	Up to 4/0
<b>EHS GUY WIRE, SOFT LOCKS, SOFT STEEL BOLTS</b>	<i>Do Not Cut</i>	<i>Do Not Cut</i>	Up to 3/8" Dia.

### CONNECTOR RANGE

<b>LUGS &amp; SPLICES</b>	#8 to 500 MCM Cu #8 to 350 MCM Al
<b>H-TAPS</b>	Up to 4/0-4/0

### SPECIFICATIONS

<b>CRIMP FORCE</b>	6 Ton
<b>WEIGHT</b>	5.9 lbs (2.7 kg)
<b>DIMENSIONS (H X L X W)</b>	15.80" x 4.50" x 3.30", 401 x 115 x 84 mm

PRODUCT NO.	JAW	BATTERY (QTY)	CHARGER	TOOL BAG
SL-MK7ND	<b>ND JAW</b>	(2) MAKITA LXT® LITHIUM-ION 5.0Ah	120VAC	Included
SL-MK7NDDC		(2) MAKITA LXT® LITHIUM-ION 5.0Ah	12VDC	
SL-MK7NDX		Not Included	N/A	
SL-MK7NDBG	<b>BG JAW</b>	(2) MAKITA LXT® LITHIUM-ION 5.0Ah	120VAC	Included
SL-MK7NDBGDC		(2) MAKITA LXT® LITHIUM-ION 5.0Ah	12VDC	
SL-MK7NDBGX		Not Included	N/A	
SL-MK7NDO	<b>O JAW</b>	(2) MAKITA LXT® LITHIUM-ION 5.0Ah	120VAC	Included
SL-MK7NDODC		(2) MAKITA LXT® LITHIUM-ION 5.0Ah	12VDC	
SL-MK7NDOX		Not Included	N/A	
SL-MK7NDK	<b>K JAW</b>	(2) MAKITA LXT® LITHIUM-ION 5.0Ah	120VAC	Included
SL-MK7NDKDC		(2) MAKITA LXT® LITHIUM-ION 5.0Ah	12VDC	
SL-MK7NDKX		Not Included	N/A	

### OPTIONAL JAWS (ORDER SEPARATELY)



EVS-CUALJAW



EVS-ACSRJAW



SLGW-JAW



SLCB-JAW

Huskie Tools is not affiliated with, authorized, or endorsed by Milwaukee Electric Tool Corporation. Milwaukee listed batteries and chargers are being re-sold by Huskie Tools. Milwaukee® M18™ REDLITHIUM™ are registered trademarks of Milwaukee Electric Tool Corporation. Huskie Tools is not affiliated with, authorized, or endorsed by Makita® Corporation. Makita® listed batteries and chargers are being re-sold by Huskie Tools. Makita® and LXT® are registered trademarks of Makita® Corporation.



# SL-RL7ND

## 6 TON INLINE COMPRESSION TOOL—WITH CHANGEABLE HEADS

THE POWER TO CHOOSE.



SL-RL7ND

**SERIES 7R**  
PRO LINE



SL-RL7ND

### FEATURES

Ergonomic design for easy one-hand operation

180° rotating head with forged jaws and protective brush guards

Pull-pin head design allows quick change of available jaws

Accepts all “W”, “X” & “O” type dies depending on jaw selected

5 yr. Tool/3 yr. Battery-Huskie Tools Limited Warranty

### CUTTING CAPACITIES

	EVS-ACSRJAW	EVS-CUALJAW	SLGW-JAW
<b>COPPER</b>	Up to 350 MCM	Up to 750 MCM	Up to 4/0
<b>ALUMINUM</b>	Up to 350 MCM	Up to 1" O.D.	Up to 4/0
<b>ACSR</b>	Up to 556 MCM	<i>Do Not Cut</i>	Up to 4/0
<b>EHS GUY WIRE, SOFT LOCKS, SOFT STEEL BOLTS</b>	<i>Do Not Cut</i>	<i>Do Not Cut</i>	Up to 3/8" Dia.

### CONNECTOR RANGE

<b>LUGS &amp; SPLICES</b>	#8 to 500 MCM Cu #8 to 350 MCM Al
<b>H-TAPS</b>	Up to 4/0-4/0

### SPECIFICATIONS

<b>CRIMP FORCE</b>	6 Ton
<b>WEIGHT</b>	5.9 lbs (2.7 kg)
<b>DIMENSIONS (H X L X W)</b>	15.80" x 4.50" x 3.30", 401 x 115 x 84 mm

PRODUCT NO.	JAW	BATTERY (QTY)	CHARGER	TOOL BAG
SL-RL7ND	ND JAW SLND3-JAW	(2) MILWAUKEE REDLITHIUM™ 2.0Ah	120VAC	Included
SL-RL7NDDC		(2) MILWAUKEE REDLITHIUM™ 2.0Ah	12VDC	
SL-RL7NDX		Not Included	N/A	
SL-RL7NDBG	BG JAW SLBG-JAW	(2) MILWAUKEE REDLITHIUM™ 2.0Ah	120VAC	Included
SL-RL7NDBGDC		(2) MILWAUKEE REDLITHIUM™ 2.0Ah	12VDC	
SL-RL7NDBGX		Not Included	N/A	
SL-RL7NDO	O JAW SLO-JAW	(2) MILWAUKEE REDLITHIUM™ 2.0Ah	120VAC	Included
SL-RL7NDODC		(2) MILWAUKEE REDLITHIUM™ 2.0Ah	12VDC	
SL-RL7NDOX		Not Included	N/A	
SL-RL7NDK	K JAW SLK-JAW	(2) MILWAUKEE REDLITHIUM™ 2.0Ah	120VAC	Included
SL-RL7NDKDC		(2) MILWAUKEE REDLITHIUM™ 2.0Ah	12VDC	
SL-RL7NDKX		Not Included	N/A	

### OPTIONAL JAWS (ORDER SEPARATELY)



EVS-CUALJAW

EVS-ACSRJAW

SLGW-JAW

SLCB-JAW

Huskie Tools is not affiliated with, authorized, or endorsed by Milwaukee Electric Tool Corporation. Milwaukee listed batteries and chargers are being re-sold by Huskie Tools. Milwaukee® M18™ REDLITHIUM™ are registered trademarks of Milwaukee Electric Tool Corporation. Huskie Tools is not affiliated with, authorized, or endorsed by Makita® Corporation. Makita® listed batteries and chargers are being re-sold by Huskie Tools. Makita® and LXT® are registered trademarks of Makita® Corporation.

# REC-MK7NDSL & REC-RL7NDSL

## 6 TON COMPRESSION TOOLS—WITH CHANGEABLE HEADS

THE POWER TO CHOOSE.



REC-MK7NDSL



NEW

REC-RL7NDSL

### FEATURES

Optimized hydraulics for faster advance and retract speeds vs. previous generation

Patent-pending selectable auto-retract switch

180° rotating head with forged jaws and protective brush guards

Pull-pin head design allows quick change of available jaws

Accepts all “W”, “X” & “O” type dies depending on jaw selected

5 yr. Tool/3 yr. Battery-Huskie Tools Limited Warranty

### SPECIFICATIONS

CRIMP FORCE	6 Ton
WEIGHT	7.9 lbs (3.6 kg)
DIMENSIONS (H X L X W)	13.7" x 10.6" x 3.3" 349 x 269 x 85 mm

### CONNECTOR RANGE

LUGS & SPLICES	#8 to 500 MCM Cu #8 to 350 MCM Al
H-TAPS	Up to 4/0-4/0

### CUTTING CAPACITIES

	EVS-ACSRJAW	EVS-CUALJAW	SLGW-JAW
COPPER	350 MCM	750 MCM	Up to 4/0
ALUMINUM	350 MCM	1" O.D.	Up to 4/0
ACSR	556 MCM	<i>Do Not Cut</i>	Up to 4/0
EHS GUY WIRE	<i>Do Not Cut</i>	<i>Do Not Cut</i>	Up to 3/8"
SOFT LOCKS	<i>Do Not Cut</i>	<i>Do Not Cut</i>	Up to 3/8"
SOFT STEEL BOLTS	<i>Do Not Cut</i>	<i>Do Not Cut</i>	Up to 3/8"

Huskie Tools is not affiliated with, authorized, or endorsed by Milwaukee Electric Tool Corporation. Milwaukee listed batteries and chargers are being re-sold by Huskie Tools. Milwaukee® M18™ REDLITHIUM™ are registered trademarks of Milwaukee Electric Tool Corporation. Huskie Tools is not affiliated with, authorized, or endorsed by Makita® Corporation. Makita® listed batteries and chargers are being re-sold by Huskie Tools. Makita® and LXT® are registered trademarks of Makita® Corporation.



PRODUCT NO.	KIT INCLUDES
<b>REC-MK7NDSL</b>	6 Ton Compression Tool, ND Jaw, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
<b>REC-MK7NDSLDC</b>	6 Ton Compression Tool, ND Jaw, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
<b>REC-MK7NDSLX</b>	6 Ton Compression Tool, ND Jaw, Bare Tool with Tool Bag
<b>REC-MK7NDSLO</b>	6 Ton Compression Tool, O Jaw, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
<b>REC-MK7NDSLDC</b>	6 Ton Compression Tool, O Jaw, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
<b>REC-MK7NDSLOX</b>	6 Ton Compression Tool, O Jaw, Bare Tool with Tool Bag
<b>REC-MK7NDSLBG</b>	6 Ton Compression Tool, BG Jaw, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
<b>REC-MK7NDSLBGDC</b>	6 Ton Compression Tool, BG Jaw, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
<b>REC-MK7NDSLBGX</b>	6 Ton Compression Tool, BG Jaw, Bare Tool with Tool Bag
<b>REC-MK7NDSLK</b>	6 Ton Compression Tool, K Jaw, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
<b>REC-MK7NDSLKDC</b>	6 Ton Compression Tool, K Jaw, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
<b>REC-MK7NDSLKX</b>	6 Ton Compression Tool, K Jaw, Bare Tool with Tool Bag
<b>BL1820B</b>	Makita 18V LXT Lithium-Ion Compact 2.0Ah Battery
<b>BL1850B</b>	Makita 18V LXT Lithium-Ion 5.0Ah Battery
<b>DC18RC</b>	Makita 18V LXT Lithium-Ion Rapid Optimum Charger (120VAC)
<b>DC18SE</b>	Makita 18V LXT Lithium-Ion Optimum Automotive Charger (12VDC)

PRODUCT NO.	KIT INCLUDES
<b>REC-RL7NDSL</b>	6 Ton Compression Tool, ND Jaw, (2) MILWAUKEE REDLITHIUM™ 2.0Ah, 120VAC Charger, Tool Bag
<b>REC-RL7NDSLDC</b>	6 Ton Compression Tool, ND Jaw, (2) MILWAUKEE REDLITHIUM™ 2.0Ah, 12VDC Charger, Tool Bag
<b>REC-RL7NDSLX</b>	6 Ton Compression Tool, ND Jaw, Bare Tool with Tool Bag
<b>REC-RL7NDSLO</b>	6 Ton Compression Tool, O Jaw, (2) MILWAUKEE REDLITHIUM™ 2.0Ah, 120VAC Charger, Tool Bag
<b>REC-RL7NDSLDC</b>	6 Ton Compression Tool, O Jaw, (2) MILWAUKEE REDLITHIUM™ 2.0Ah, 12VDC Charger, Tool Bag
<b>REC-RL7NDSLOX</b>	6 Ton Compression Tool, O Jaw, Bare Tool with Tool Bag
<b>REC-RL7NDSLBG</b>	6 Ton Compression Tool, BG Jaw, (2) MILWAUKEE REDLITHIUM™ 2.0Ah, 120VAC Charger, Tool Bag
<b>REC-RL7NDSLBGDC</b>	6 Ton Compression Tool, BG Jaw, (2) MILWAUKEE REDLITHIUM™ 2.0Ah, 12VDC Charger, Tool Bag
<b>REC-RL7NDSLBGX</b>	6 Ton Compression Tool, BG Jaw, Bare Tool with Tool Bag
<b>REC-RL7NDSLK</b>	6 Ton Compression Tool, K Jaw, (2) MILWAUKEE REDLITHIUM™ 2.0Ah, 120VAC Charger, Tool Bag
<b>REC-RL7NDSLKDC</b>	6 Ton Compression Tool, K Jaw, (2) MILWAUKEE REDLITHIUM™ 2.0Ah, 12VDC Charger, Tool Bag
<b>REC-RL7NDSLKX</b>	6 Ton Compression Tool, K Jaw, Bare Tool with Tool Bag
<b>48-11-1820</b>	MILWAUKEE M18™ REDLITHIUM™ CP 2.0 Battery
<b>48-11-1850</b>	MILWAUKEE M18™ REDLITHIUM™ XC 5.0 Battery
<b>48-59-1812</b>	MILWAUKEE M18™ & M12™ Multi-Voltage AC Charger
<b>48-59-1810</b>	MILWAUKEE M18™ & M12™ Multi-Voltage DC Charger

THE POWER TO CHOOSE.

**OPTIONAL JAWS (ORDER SEPARATELY)**



**EVS-CUALJAW**



**EVS-ACSRJAW**



**SLGW-JAW**



**SLCB-JAW**

Huskie Tools is not affiliated with, authorized, or endorsed by Milwaukee Electric Tool Corporation. Milwaukee listed batteries and chargers are being re-sold by Huskie Tools. Milwaukee® M18™ REDLITHIUM™ are registered trademarks of Milwaukee Electric Tool Corporation. Huskie Tools is not affiliated with, authorized, or endorsed by Makita® Corporation. Makita® listed batteries and chargers are being re-sold by Huskie Tools. Makita® and LXT® are registered trademarks of Makita® Corporation.

# REC-MK758U & REC-RL758U

## 6 TON COMPRESSION TOOLS

THE POWER TO CHOOSE.



REC-MK758U



NEW

REC-RL758U

### FEATURES

Optimized hydraulics offer 20% faster advance and 30% faster retraction speeds than previous generation tools

Patent pending Auto-Retract feature provides a user-selectable ON/OFF switch to enable or disable automatic cycle retraction. Auto-Retract can also be stopped mid-cycle to speed repeat operation

Head rotates 180° for optimum maneuverability in tight work spaces

5 yr. Tool/3 yr. Battery- Huskie Tools Limited Warranty

### SERIES 7M

PRODUCT NO.	KIT INCLUDES
REC-MK758U	6 Ton Compression Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
REC-MK758UDC	6 Ton Compression Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
REC-MK758UX	6 Ton Compression Tool, Bare Tool with Tool Bag

### SERIES 7R

PRODUCT NO.	KIT INCLUDES
REC-RL758U	6 Ton Compression Tool, (2) MILWAUKEE REDLITHIUM™ 2.0Ah, 120VAC Charger, Tool Bag
REC-RL758UDC	6 Ton Compression Tool, (2) MILWAUKEE REDLITHIUM™ 2.0Ah, 12VDC Charger, Tool Bag
REC-RL758UX	6 Ton Compression Tool, Bare Tool with Tool Bag

CRIMPING ESTIMATES (5.0Ah BATTERY)	
4/0-4/0 H-TAP	600 Cycles/Charge
500 MCM CU	550 Cycles/Charge

CONNECTOR RANGE	
LUGS & SPLICES	#8 to 500 MCM Cu, #8 to 350 MCM Al
H-TAPS	Up to 4/0-4/0

SPECIFICATIONS	
CRIMP FORCE	6 Ton
WEIGHT	8.3 lbs (3.8 kg)
DIMENSIONS (H X L X W)	13.7" x 10.6" x 3.3", 349 x 269 x 85 mm

Huskie Tools is not affiliated with, authorized, or endorsed by Milwaukee Electric Tool Corporation. Milwaukee listed batteries and chargers are being re-sold by Huskie Tools. Milwaukee® M18™ REDLITHIUM™ are registered trademarks of Milwaukee Electric Tool Corporation. Huskie Tools is not affiliated with, authorized, or endorsed by Makita® Corporation. Makita® listed batteries and chargers are being re-sold by Huskie Tools. Makita® and LXT® are registered trademarks of Makita® Corporation.



# REC-MKCN758 & REC-RLCN758

## 6 TON COMPRESSION TOOLS



REC-MKCN758



**NEW**

REC-RLCN758

THE POWER TO CHOOSE.

### FEATURES

Optimized hydraulics offer 20% faster advance and 30% faster retraction speeds than previous generation tools

Patent pending Auto-Retract feature provides a user-selectable ON/OFF switch to enable or disable automatic cycle retraction. Auto-Retract can also be stopped mid-cycle to speed repeat operation

Open "C" head design allows user to place compression head over the connector without having to close a latch before starting a compression cycle

Head rotates 180° for optimum maneuverability in tight work spaces

5 yr. Tool/3 yr. Battery- Huskie Tools Limited Warranty

### SERIES 7M

### SERIES 7R

PRODUCT NO.	KIT INCLUDES
REC-MKCN758	6 Ton Compression Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
REC-MKCN758DC	6 Ton Compression Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
REC-MKCN758X	6 Ton Compression Tool, Bare Tool with Tool Bag

PRODUCT NO.	KIT INCLUDES
REC-RLCN758	6 Ton Compression Tool, (2) MILWAUKEE REDLITHIUM™ 2.0Ah, 120VAC Charger, Tool Bag
REC-RLCN758DC	6 Ton Compression Tool, (2) MILWAUKEE REDLITHIUM™ 2.0Ah, 12VDC Charger, Tool Bag
REC-RLCN758X	6 Ton Compression Tool, Bare Tool with Tool Bag

CRIMPING ESTIMATES (5.0Ah BATTERY)	
4/0-4/0 H-TAP	600 Cycles/Charge
500 MCM CU	550 Cycles/Charge

CONNECTOR RANGE	
LUGS & SPLICES	#8 to 500 MCM Cu, #8 to 350 MCM Al
H-TAPS	Up to 4/0-4/0

SPECIFICATIONS	
CRIMP FORCE	6 Ton
WEIGHT	10.8 lbs (4.9 kg)
DIMENSIONS (H X L X W)	15.4" x 10.6" x 3.3", 391 x 269 x 85 mm

Huskie Tools is not affiliated with, authorized, or endorsed by Milwaukee Electric Tool Corporation. Milwaukee listed batteries and chargers are being re-sold by Huskie Tools. Milwaukee® M18™ REDLITHIUM™ are registered trademarks of Milwaukee Electric Tool Corporation. Huskie Tools is not affiliated with, authorized, or endorsed by Makita® Corporation. Makita® listed batteries and chargers are being re-sold by Huskie Tools. Makita® and LXT® are registered trademarks of Makita® Corporation.

THE POWER TO CHOOSE.

# SL-MK7630 & SL-RL7630

## 6.2 TON INLINE DIELESS COMPRESSION TOOLS



SL-MK7630



SL-RL7630

### FEATURES

Four integrated crimping nibs eliminate need for multiple die sets

Crimps Anderson connectors and others manufactured to ANSI C119.4

Head rotates 360° for optimum maneuverability in tight work spaces

5 yr. Tool/3 yr. Battery-Huskie Tools Limited Warranty

### SERIES 7M PRO LINE

PRODUCT NO.	KIT INCLUDES
SL-MK7630	6.2 Ton Dieless Compression Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
SL-MK7630DC	6.2 Ton Dieless Compression Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
SL-MK7630X	6.2 Ton Dieless Compression Tool, Bare Tool with Tool Bag

### SERIES 7R PRO LINE

PRODUCT NO.	KIT INCLUDES
SL-RL7630	6.2 Ton Dieless Compression Tool, (2) MILWAUKEE REDLITHIUM™ 2.0Ah, 120VAC Charger, Tool Bag
SL-RL7630DC	6.2 Ton Dieless Compression Tool, (2) MILWAUKEE REDLITHIUM™ 2.0Ah, 12VDC Charger, Tool Bag
SL-RL7630X	6.2 Ton Dieless Compression Tool, Bare Tool with Tool Bag

SPECIFICATIONS	
CRIMP FORCE	6.2 Ton
WEIGHT	11.0 lbs (5.0 kg)
DIMENSIONS (H X L X W)	17.8" x 5.5" x 3.0", 454 x 140 x 70 mm

CONNECTOR RANGE	
LUGS & SPLICES	#10 TO 750 MCM AL/CU

CRIMPING ESTIMATES (5.0Ah BATTERY)	
500 MCM Cu	425 Cycles/Charge

Huskie Tools is not affiliated with, authorized, or endorsed by Milwaukee Electric Tool Corporation. Milwaukee listed batteries and chargers are being re-sold by Huskie Tools. Milwaukee® M18™ REDLITHIUM™ are registered trademarks of Milwaukee Electric Tool Corporation. Huskie Tools is not affiliated with, authorized, or endorsed by Makita® Corporation. Makita® listed batteries and chargers are being re-sold by Huskie Tools. Makita® and LXT® are registered trademarks of Makita® Corporation.

# REC-MK7630 & REC-RL7630

## 6.2 TON DIELESS COMPRESSION TOOLS



REC-MK7630



REC-RL7630

THE POWER TO CHOOSE.

### FEATURES

Four integrated crimping nibs eliminate need for multiple die sets

Crimps Anderson connectors and others manufactured to ANSI C119.4

Head rotates 360° for optimum maneuverability in tight work spaces

Pistol-grip tools feature optimized hydraulics for faster advance and retract speeds vs. previous generation

Pistol-grip tools feature patent-pending selectable auto-retract switch

5 yr. Tool/3 yr. Battery- Huskie Tools Limited Warranty

### SERIES 7M

### SERIES 7R

PRODUCT NO.	KIT INCLUDES
REC-MK7630	6.2 Ton Dieless Compression Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC CHARGER, TOOL BAG
REC-MK7630DC	6.2 Ton Dieless Compression Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
REC-MK7630X	6.2 Ton Dieless Compression Tool, Bare Tool with Tool Bag

PRODUCT NO.	KIT INCLUDES
REC-RL7630	6.2 Ton Dieless Compression Tool, (2) MILWAUKEE REDLITHIUM™ 2.0Ah, 120VAC Charger, Tool Bag
REC-RL7630DC	6.2 Ton Dieless Compression Tool, (2) MILWAUKEE REDLITHIUM™ 2.0Ah, 12VDC Charger, Tool Bag
REC-RL7630X	6.2 Ton Dieless Compression Tool, Bare Tool with Tool Bag

SPECIFICATIONS	
CRIMP FORCE	6.2 Ton
WEIGHT	11.9 lbs (5.4 kg)
DIMENSIONS (H X L X W)	15.6" x 11.6" x 3.3", 397 x 297 x 85 mm

CONNECTOR RANGE	
LUGS & SPLICES	#10 TO 750 MCM AL/CU

CRIMPING ESTIMATES (5.0Ah BATTERY)	
500 MCM Cu	450 Cycles/Charge

Huskie Tools is not affiliated with, authorized, or endorsed by Milwaukee Electric Tool Corporation. Milwaukee listed batteries and chargers are being re-sold by Huskie Tools. Milwaukee® M18™ REDLITHIUM™ are registered trademarks of Milwaukee Electric Tool Corporation. Huskie Tools is not affiliated with, authorized, or endorsed by Makita® Corporation. Makita® listed batteries and chargers are being re-sold by Huskie Tools. Makita® and LXT® are registered trademarks of Makita® Corporation.



THE POWER TO CHOOSE.

# SL-MK7750 & SL-RL7750

## 6.2 TON DIELESS COMPRESSION TOOLS



SL-MK7750

### FEATURES

Four integrated crimping nibs eliminate need for multiple die sets

Crimps Anderson connectors and others manufactured to ANSI C119.4

Head rotates 360° for optimum maneuverability in tight work spaces

5 yr. Tool/3 yr. Battery-Huskie Tools Limited Warranty



SL-RL7750

### SERIES 7M

### SERIES 7R

PRODUCT NO.	KIT INCLUDES
SL-MK7750	6.2 Ton Dieless Compression Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
SL-MK7750DC	6.2 Ton Dieless Compression Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
SL-MK7750X	6.2 Ton Dieless Compression Tool, Bare Tool with Tool Bag

PRODUCT NO.	KIT INCLUDES
SL-RL7750	6.2 Ton Dieless Compression Tool, (2) MILWAUKEE REDLITHIUM™ 2.0Ah, 120VAC Charger, Tool Bag
SL-RL7750DC	6.2 Ton Dieless Compression Tool, (2) MILWAUKEE REDLITHIUM™ 2.0Ah, 12VDC Charger, Tool Bag
SL-RL7750X	6.2 Ton Dieless Compression Tool, Bare Tool with Tool Bag

SPECIFICATIONS	
CRIMP FORCE	6.2 Ton
WEIGHT	11.4 lbs (5.2 kg)
DIMENSIONS (H X L X W)	18.2" x 5.5" x 3.0", 463 x 140 x 78 mm

CONNECTOR RANGE	
LUGS & SPLICES	#10 TO 750 MCM AL/CU

CRIMPING ESTIMATES (5.0Ah BATTERY)	
500 MCM Cu	425 Cycles/Charge

Huskie Tools is not affiliated with, authorized, or endorsed by Milwaukee Electric Tool Corporation. Milwaukee listed batteries and chargers are being re-sold by Huskie Tools. Milwaukee® M18™ REDLITHIUM™ are registered trademarks of Milwaukee Electric Tool Corporation. Huskie Tools is not affiliated with, authorized, or endorsed by Makita® Corporation. Makita® listed batteries and chargers are being re-sold by Huskie Tools. Makita® and LXT® are registered trademarks of Makita® Corporation.

# REC-MK7750 & REC-RL7750

## 6.2 TON DIELESS COMPRESSION TOOLS

THE POWER TO CHOOSE.



REC-MK7750



NEW

REC-RL7750

### FEATURES

Four integrated crimping nibs eliminate need for multiple die sets

Crimps Anderson connectors and others manufactured to ANSI C119.4

Head rotates 360° for optimum maneuverability in tight work spaces

Pistol-grip tools feature optimized hydraulics for faster advance and retract speeds vs. previous generation

Pistol-grip tools feature patent-pending selectable auto-retract switch

5 yr. Tool/3 yr. Battery- Huskie Tools Limited Warranty

### SERIES 7M

PRODUCT NO.	KIT INCLUDES
REC-MK7750	6.2 Ton Dieless Compression Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
REC-MK7750DC	6.2 Ton Dieless Compression Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
REC-MK7750X	6.2 Ton Dieless Compression Tool, Bare Tool with Tool Bag

### SERIES 7R

PRODUCT NO.	KIT INCLUDES
REC-RL7750	6.2 Ton Dieless Compression Tool, (2) MILWAUKEE REDLITHIUM™ 2.0Ah, 120VAC Charger, Tool Bag
REC-RL7750DC	6.2 Ton Dieless Compression Tool, (2) MILWAUKEE REDLITHIUM™ 2.0Ah, 12VDC Charger, Tool Bag
REC-RL7750X	6.2 Ton Dieless Compression Tool, Bare Tool with Tool Bag

### SPECIFICATIONS

CRIMP FORCE	6.2 Ton
WEIGHT	12.1 lbs (5.5 kg)
DIMENSIONS (H X L X W)	11.6" x 16" x 3.3", 296 x 406 x 85 mm

### CONNECTOR RANGE

LUGS & SPLICES	#10 TO 750 MCM AL/CU
----------------	----------------------

### CRIMPING ESTIMATES (5.0Ah BATTERY)

500 MCM Cu	450 Cycles/Charge
------------	-------------------

Huskie Tools is not affiliated with, authorized, or endorsed by Milwaukee Electric Tool Corporation. Milwaukee listed batteries and chargers are being re-sold by Huskie Tools. Milwaukee® M18™ REDLITHIUM™ are registered trademarks of Milwaukee Electric Tool Corporation. Huskie Tools is not affiliated with, authorized, or endorsed by Makita® Corporation. Makita® listed batteries and chargers are being re-sold by Huskie Tools. Makita® and LXT® are registered trademarks of Makita® Corporation.

# REC-MK7510 & REC-RL7510

## 12 TON COMPRESSION TOOLS



REC-MK7510



NEW

REC-RL7510

### FEATURES

Optimized hydraulics offer 20% faster advance and 30% faster retraction speeds than previous generation tools

Patent-pending selectable auto-retract switch

Protective rubber boot on “C” head helps prevent accidental contact with energized circuits

Designed for use in single-handed operation in overhead line applications

Accepts all “U” type industry standard die sets

Head rotates 180° for optimum maneuverability in tight work spaces

5 Yr. Tool/3 Yr. Battery—Huskie Tools Limited Warranty

### SERIES 7M

### SERIES 7R

PRODUCT NO.	KIT INCLUDES
REC-MK7510	12 Ton Compression Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
REC-MK7510DC	12 Ton Compression Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
REC-MK7510X	12 Ton Compression Tool, Bare Tool with Tool Bag

PRODUCT NO.	KIT INCLUDES
REC-RL7510-1	12 Ton Compression Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 120VAC Charger, Tool Bag
REC-RL7510DC-1	12 Ton Compression Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 12VDC Charger, Tool Bag
REC-RL7510X	12 Ton Compression Tool, Bare Tool with Tool Bag

SPECIFICATIONS	
CRIMP FORCE	12 Ton
WEIGHT	16.3 lbs (7.4 kg)
DIMENSIONS (H X L X W)	17.0" x 11.3" x 3.6", 432 x 287 x 91mm
JAW OPENING	1.65"

CONNECTOR RANGE	
LUGS & SPLICES	750 MCM Al/Cu

CRIMPING ESTIMATES (5.0AH BATTERY)	
750 MCM Cu	145 Cycles/Charge
500 MCM Cu	155 Cycles/Charge

Huskie Tools is not affiliated with, authorized, or endorsed by Milwaukee Electric Tool Corporation. Milwaukee listed batteries and chargers are being re-sold by Huskie Tools. Milwaukee® M18™ REDLITHIUM™ are registered trademarks of Milwaukee Electric Tool Corporation. Huskie Tools is not affiliated with, authorized, or endorsed by Makita® Corporation. Makita® listed batteries and chargers are being re-sold by Huskie Tools. Makita® and LXT® are registered trademarks of Makita® Corporation.



# SL-MKC7510 & SL-RLC7510

## 12 TON INLINE COMPRESSION TOOLS



SL-MKC7510

### FEATURES

Protective rubber boot on “C” head helps prevent accidental contact with energized circuits

Head rotates 180° for optimum maneuverability in tight work spaces

Inline tool design for easy use in underground applications

Accepts all 'U' type industry standard die sets

5 Yr. Tool/3 Yr. Battery—Huskie Tools Limited Warranty



SL-RLC7510

THE POWER TO CHOOSE.

### SERIES 7M

### SERIES 7R

PRODUCT NO.	KIT INCLUDES
SL-MKC7510	12 Ton Compression Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
SL-MKC7510DC	12 Ton Compression Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
SL-MKC7510X	12 Ton Compression Tool, Bare Tool with Tool Bag

PRODUCT NO.	KIT INCLUDES
SL-RLC7510-1	12 Ton Compression Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 120VAC Charger, Tool Bag
SL-RLC7510DC-1	12 Ton Compression Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 12VDC Charger, Tool Bag
SL-RLC7510X	12 Ton Compression Tool, Bare Tool with Tool Bag

SPECIFICATIONS	
CRIMP FORCE	12 Ton
WEIGHT	15.2 lbs (6.9 kg)
DIMENSIONS (H X L X W)	19.7" x 6.4" x 4.0", 510 x 162 x 103 mm
JAW OPENING	1.65"

CONNECTOR RANGE	
LUGS & SPLICES	750 MCM Al/Cu

CRIMPING ESTIMATES (5.0AH BATTERY)	
500 MCM Cu	140 Cycles/Charge
750 MCM Cu	135 Cycles/Charge

Huskie Tools is not affiliated with, authorized, or endorsed by Milwaukee Electric Tool Corporation. Milwaukee listed batteries and chargers are being re-sold by Huskie Tools. Milwaukee® M18™ REDLITHIUM™ are registered trademarks of Milwaukee Electric Tool Corporation. Huskie Tools is not affiliated with, authorized, or endorsed by Makita® Corporation. Makita® listed batteries and chargers are being re-sold by Huskie Tools. Makita® and LXT® are registered trademarks of Makita® Corporation.

# REC-MK7510K & REC-RL7510K

## 12 TON COMPRESSION TOOLS

THE POWER TO CHOOSE.



REC-MK7510K



REC-RL7510K

NEW

### FEATURES

Optimized hydraulics offer 20% faster advance and 30% faster retraction speeds than previous generation tools

Patent-pending selectable auto-retract switch

Protective rubber boot on “C” head helps prevent accidental contact with energized circuits

Accepts all WH-2, WH-3 and PH-2 Kearney style die sets

Head rotates 180° for optimum maneuverability in tight work spaces

5 Yr. Tool/3 Yr. Battery—Huskie Tools Limited Warranty

### SERIES 7M

PRODUCT NO.	KIT INCLUDES
REC-MK7510K	12 Ton Compression Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
REC-MK7510KDC	12 Ton Compression Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
REC-MK7510KDC	12 Ton Compression Tool, Bare Tool with Tool Bag

### SERIES 7R

PRODUCT NO.	KIT INCLUDES
REC-RL7510K-1	12 Ton Compression Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 120VAC Charger, Tool Bag
REC-RL7510KDC-1	12 Ton Compression Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 12VDC Charger, Tool Bag
REC-RL7510KDC	12 Ton Compression Tool, Bare Tool with Tool Bag

SPECIFICATIONS	
CRIMP FORCE	12 Ton
WEIGHT	16.7 lbs (7.6 kg)
DIMENSIONS (H X L X W)	16.4" x 11.5" x 3.6", 418 x 293 x 91 mm

CONNECTOR RANGE	
LUGS	1033 ACSR
SPLICES	477 ACSR

CRIMPING ESTIMATES [5.0AH BATTERY]	
750 MCM Cu	145 Cycles/Charge

Huskie Tools is not affiliated with, authorized, or endorsed by Milwaukee Electric Tool Corporation. Milwaukee listed batteries and chargers are being re-sold by Huskie Tools. Milwaukee® M18™ REDLITHIUM™ are registered trademarks of Milwaukee Electric Tool Corporation. Huskie Tools is not affiliated with, authorized, or endorsed by Makita® Corporation. Makita® listed batteries and chargers are being re-sold by Huskie Tools. Makita® and LXT® are registered trademarks of Makita® Corporation.

# SL-MK7510K & SL-RL7510K

## 12 TON INLINE COMPRESSION TOOLS

THE POWER TO CHOOSE.



SL-MK7510K

### FEATURES

Protective rubber boot on “C” head helps prevent accidental contact with energized circuits

Head rotates 180° for optimum maneuverability in tight work spaces

SL-MK7510K accepts all WH-2, WH-3 and PH-2 Kearney style die sets

5 Yr. Tool/3 Yr. Battery—Huskie Tools Limited Warranty



NEW

SL-RL7510K

### SERIES 7M PRO LINE

PRODUCT NO.	KIT INCLUDES
SL-MK7510K	12 Ton Compression Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
SL-MK7510KDC	12 Ton Compression Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
SL-MK7510KX	12 Ton Compression Tool, Bare Tool with Tool Bag

### SERIES 7R PRO LINE

PRODUCT NO.	KIT INCLUDES
SL-RL7510K-1	12 Ton Compression Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 120VAC Charger, Tool Bag
SL-RL7510KDC-1	12 Ton Compression Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 12VDC Charger, Tool Bag
SL-RL7510KX	12 Ton Compression Tool, Bare Tool with Tool Bag

SPECIFICATIONS	
CRIMP FORCE	12 Ton
WEIGHT	14.7 lbs (6.7 kg)
DIMENSIONS (H X L X W)	19.1" x 6.5" x 4", 486 x 166 x 103 mm

CONNECTOR RANGE	
LUGS	1033 ACSR
SPLICES	477 ACSR

CRIMPING ESTIMATES (5.0AH BATTERY)	
750 MCM Cu	125 Cycles/Charge
500 MCM Cu	135 Cycles/Charge

Huskie Tools is not affiliated with, authorized, or endorsed by Milwaukee Electric Tool Corporation. Milwaukee listed batteries and chargers are being re-sold by Huskie Tools. Milwaukee® M18™ REDLITHIUM™ are registered trademarks of Milwaukee Electric Tool Corporation. Huskie Tools is not affiliated with, authorized, or endorsed by Makita® Corporation. Makita® listed batteries and chargers are being re-sold by Huskie Tools. Makita® and LXT® are registered trademarks of Makita® Corporation.



# REC-MK7430 & REC-RL7430

## 12 TON COMPRESSION TOOLS

THE POWER TO CHOOSE.



REC-MK7430



NEW

REC-RL7430

### FEATURES

Optimized hydraulics offer 20% faster advance and 30% faster retraction speeds than previous generation tools

Patent-pending selectable auto-retract switch

Protective rubber boot on “C” head helps prevent accidental contact with energized circuits

Designed for use in single-handed operation in overhead line applications

Accepts all “U” type industry standard die sets

Head rotates 180° for optimum maneuverability in tight work spaces

5 Yr. Tool/3 Yr. Battery—Huskie Tools Limited Warranty

### SERIES 7M PRO LINE

PRODUCT NO.	KIT INCLUDES
REC-MK7430	12 Ton Compression Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
REC-MK7430DC	12 Ton Compression Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
REC-MK7430X	12 Ton Compression Tool, Bare Tool with Tool Bag

### SERIES 7R PRO LINE

PRODUCT NO.	KIT INCLUDES
REC-RL7430-1	12 Ton Compression Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 120VAC Charger, Tool Bag
REC-RL7430DC-1	12 Ton Compression Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 12VDC Charger, Tool Bag
REC-RL7430X	12 Ton Compression Tool, Bare Tool with Tool Bag

### SPECIFICATIONS

CRIMP FORCE	12 Ton
WEIGHT	15.4 lbs (7.0 kg)
DIMENSIONS (H X L X W)	16.2" x 11.5" x 3.6", 413 x 291 x 91mm
JAW OPENING	1.2"

### CONNECTOR RANGE

LUGS	750 MCM Al/Cu
SPLICES	600 MCM Al/Cu

### CRIMPING ESTIMATES [5.0AH BATTERY]

750 MCM Cu	145 Cycles/Charge
------------	-------------------

Huskie Tools is not affiliated with, authorized, or endorsed by Milwaukee Electric Tool Corporation. Milwaukee listed batteries and chargers are being re-sold by Huskie Tools. Milwaukee® M18™ REDLITHIUM™ are registered trademarks of Milwaukee Electric Tool Corporation. Huskie Tools is not affiliated with, authorized, or endorsed by Makita® Corporation. Makita® listed batteries and chargers are being re-sold by Huskie Tools. Makita® and LXT® are registered trademarks of Makita® Corporation.

# SL-MKC71000 & SL-RLC71000

## 12 TON INLINE DIELESS COMPRESSION TOOLS



SL-MKC71000

### FEATURES

Protective rubber boot on “C” head helps prevent accidental contact with energized circuits

Dieless indent style crimping nib eliminates the need for multiple die sets

Head rotates 180° for optimum maneuverability in tight work spaces

5 Yr. Tool/3 Yr. Battery—Huskie Tools Limited Warranty



SL-RLC71000

THE POWER TO CHOOSE.

**SERIES 7M**  
PRO LINE

**SERIES 7R**  
PRO LINE

PRODUCT NO.	KIT INCLUDES
SL-MKC71000	12 Ton Dieless Compression Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
SL-MKC71000DC	12 Ton Dieless Compression Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
SL-MKC71000X	12 Ton Dieless Compression Tool, Bare Tool with Tool Bag

PRODUCT NO.	KIT INCLUDES
SL-RLC71000-1	12 Ton Dieless Compression Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 120VAC Charger, Tool Bag
SL-RLC71000DC-1	12 Ton Dieless Compression Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 12VDC Charger, Tool Bag
SL-RLC71000X	12 Ton Dieless Compression Tool, Bare Tool with Tool Bag

SPECIFICATIONS	
CRIMP FORCE	12 Ton
WEIGHT	22.9 lbs (10.4 kg)
DIMENSIONS (H X L X W)	19.1" x 6.5" x 4", 486 x 166 x 103 mm

CONNECTOR RANGE	
LUGS & SPLICES	#8 AWG - 1000 MCM Cu
	#8 AWG - 1000 MCM Al

CRIMPING ESTIMATES (5.0Ah BATTERY)	
750 MCM CU	130 Cycles
1000 MCM AL	145 Cycles

Huskie Tools is not affiliated with, authorized, or endorsed by Milwaukee Electric Tool Corporation. Milwaukee listed batteries and chargers are being re-sold by Huskie Tools. Milwaukee® M18™ REDLITHIUM™ are registered trademarks of Milwaukee Electric Tool Corporation. Huskie Tools is not affiliated with, authorized, or endorsed by Makita® Corporation. Makita® listed batteries and chargers are being re-sold by Huskie Tools. Makita® and LXT® are registered trademarks of Makita® Corporation.

# REC-MK71000 & REC-RL71000

## 12 TON DIELESS COMPRESSION TOOLS

THE POWER TO CHOOSE.



REC-MK71000



NEW

REC-RL71000

### FEATURES

Optimized hydraulics offer 20% faster advance and 30% faster retraction speeds than previous generation tools

Patent-pending selectable auto-retract switch

Dieless indent-style crimping

Rotational Head

Bright White, LED Lights for Working in Low Light Conditions

Audible Bypass when Predetermined Pressure is Achieved

Latched Head Design

Eliminates the Need for Dies

5 yr. Tool/3 yr. Battery- Huskie Tools Limited Warranty

### SERIES 7M PRO LINE

PRODUCT NO.	KIT INCLUDES
REC-MK71000	12 Ton Dieless Compression Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VAC Charger, Tool Bag
REC-MK71000DC	12 Ton Dieless Compression Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
REC-MK71000X	12 Ton Dieless Compression Tool, Bare Tool with Tool Bag

### SERIES 7R PRO LINE

PRODUCT NO.	KIT INCLUDES
REC-RL71000-1	12 Ton Dieless Compression Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 12VAC Charger, Tool Bag
REC-RL71000DC-1	12 Ton Dieless Compression Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 12VDC Charger, Tool Bag
REC-RL71000X	12 Ton Dieless Compression Tool, Bare Tool with Tool Bag

SPECIFICATIONS	
CRIMP FORCE	12 Ton
WEIGHT (WITH BATTERY)	12.5 lbs (5.6 kg)
DIMENSIONS (H X L X W)	21" x 5.6" x 4", 533 x 142 x 103 mm
JAW OPENING	1.95" / 49.5 mm

CONNECTOR RANGE	
LUGS & SPLICES	#8 AWG - 1000 MCM Cu
	#8 AWG - 1000 MCM Al

CRIMPING ESTIMATES (5.0Ah BATTERY)	
750 MCM CU	130 Cycles
1000 MCM AL	145 Cycles

Huskie Tools is not affiliated with, authorized, or endorsed by Milwaukee Electric Tool Corporation. Milwaukee listed batteries and chargers are being re-sold by Huskie Tools. Milwaukee® M18™ REDLITHIUM™ are registered trademarks of Milwaukee Electric Tool Corporation. Huskie Tools is not affiliated with, authorized, or endorsed by Makita® Corporation. Makita® listed batteries and chargers are being re-sold by Huskie Tools. Makita® and LXT® are registered trademarks of Makita® Corporation.



# SL-MK71000 & SL-RL71000

## 12 TON INLINE DIELESS COMPRESSION TOOLS



SL-MK71000

### FEATURES

Dieless indent-style crimping

Rotational Head

Bright White, LED Lights for Working in Low Light Conditions

Audible Bypass when Predetermined Pressure is Achieved

Latched Head Design

Eliminates the Need for Dies

5 yr. Tool/3 yr. Battery-Huskie Tools Limited Warranty



SL-RL71000

THE POWER TO CHOOSE.

### SERIES 7M PRO LINE

PRODUCT NO.	KIT INCLUDES
SL-MK71000	12 Ton Dieless Compression Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VAC Charger, Tool Bag
SL-MK71000DC	12 Ton Dieless Compression Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
SL-MK71000X	12 Ton Dieless Compression Tool, Bare Tool with Tool Bag

### SERIES 7R PRO LINE

PRODUCT NO.	KIT INCLUDES
SL-RL71000-1	12 Ton Dieless Compression Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 12VAC Charger, Tool Bag
SL-RL71000DC-1	12 Ton Dieless Compression Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 12VDC Charger, Tool Bag
SL-RL71000X	12 Ton Dieless Compression Tool, Bare Tool with Tool Bag

SPECIFICATIONS	
CRIMP FORCE	12 Ton
WEIGHT (WITH BATTERY)	12.5 lbs (5.6 kg)
DIMENSIONS (H X L X W)	21" x 5.6" x 4", 533 x 142 x 103 mm
JAW OPENING	1.95" / 49.5 mm

CONNECTOR RANGE	
LUGS & SPLICES	#8 AWG - 1000 MCM Cu #8 AWG - 1000 MCM Al

CRIMPING ESTIMATES (5.0Ah BATTERY)	
750 MCM CU	130 Cycles
1000 MCM AL	145 Cycles

Huskie Tools is not affiliated with, authorized, or endorsed by Milwaukee Electric Tool Corporation. Milwaukee listed batteries and chargers are being re-sold by Huskie Tools. Milwaukee® M18™ REDLITHIUM™ are registered trademarks of Milwaukee Electric Tool Corporation. Huskie Tools is not affiliated with, authorized, or endorsed by Makita® Corporation. Makita® listed batteries and chargers are being re-sold by Huskie Tools. Makita® and LXT® are registered trademarks of Makita® Corporation.

THE POWER TO CHOOSE.

# SL-MK7610 & SL-RL7610

## 15 TON INLINE COMPRESSION TOOLS



SL-MK7610

### FEATURES

Protective rubber boot on head helps prevent accidental contact with energized circuits

Accepts all "P" type industry standard die sets, as well as "U" type industry standard dies with the use of the PU-15 die adapter

Head rotates 180° for optimum maneuverability in tight work spaces

5 Yr. Tool/3 Yr. Battery—Huskie Tools Limited Warranty



SL-RL7610

### SERIES 7M

PRODUCT NO.	KIT INCLUDES
SL-MK7610	15 Ton Compression Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
SL-MK7610DC	15 Ton Compression Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
SL-MK7610X	15 Ton Compression Tool, Bare Tool with Tool Bag

### SERIES 7R

PRODUCT NO.	KIT INCLUDES
SL-RL7610-1	15 Ton Compression Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 120VAC Charger, Tool Bag
SL-RL7610DC-1	15 Ton Compression Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 12VDC Charger, Tool Bag
SL-RL7610X	15 Ton Compression Tool, Bare Tool with Tool Bag

SPECIFICATIONS	
CRIMP FORCE	15 Ton
WEIGHT	17.6 lbs (8.0 kg)
DIMENSIONS (H X L X W)	25.0" x 5.3" x 4.0", 635 x 136 x 103 mm

CRIMPING CAPACITIES	
ALUMINUM	#8 AWG - 1250 MCM
COPPER	#8 AWG - 1500 MCM
H-TAP	Up to 750/750

CRIMPING ESTIMATES (5.0AH BATTERY)	
750 MCM Cu	95 Cycles

Huskie Tools is not affiliated with, authorized, or endorsed by Milwaukee Electric Tool Corporation. Milwaukee listed batteries and chargers are being re-sold by Huskie Tools. Milwaukee® M18™ REDLITHIUM™ are registered trademarks of Milwaukee Electric Tool Corporation. Huskie Tools is not affiliated with, authorized, or endorsed by Makita® Corporation. Makita® listed batteries and chargers are being re-sold by Huskie Tools. Makita® and LXT® are registered trademarks of Makita® Corporation.

# SL-MKC7610 & SL-RLC7610

## 15 TON INLINE COMPRESSION TOOLS

THE POWER TO CHOOSE.



SL-MKC7610

### FEATURES

Protective rubber boot on “C” head helps prevent accidental contact with energized circuits

Accepts all “P” type industry standard die sets, as well as “U” type industry standard dies with the use of the PU-15 die adapter

Open “C” head design allows user to place compression head over the connector without having to close a latch before starting a compression cycle

Head rotates 180° for optimum maneuverability in tight work spaces

5 Yr. Tool/3 Yr. Batter—Huskie Tools Limited Warranty



SL-RLC7610

SERIES 7M  
PRO LINE

SERIES 7R  
PRO LINE

PRODUCT NO.	KIT INCLUDES
SL-MKC7610	15 Ton Compression Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
SL-MKC7610DC	15 Ton Compression Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
SL-MKC7610X	15 Ton Compression Tool, Bare Tool with Tool Bag

PRODUCT NO.	KIT INCLUDES
SL-RLC7610-1	15 Ton Compression Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 120VAC Charger, Tool Bag
SL-RLC7610DC-1	15 Ton Compression Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 12VDC Charger, Tool Bag
SL-RLC7610X	15 Ton Compression Tool, Bare Tool with Tool Bag

SPECIFICATIONS	
CRIMP FORCE	15 Ton
WEIGHT	20.7 lbs (9.4 kg)
DIMENSIONS (H X L X W)	22.3" x 6.0" x 4.0", 566 x 153 x 103 mm

CONNECTOR RANGE	
ALUMINUM	#8 to 1250 MCM
COPPER	#8 to 1500 MCM
H-Tap	Up to 750/750

CRIMPING ESTIMATES (5.0AH BATTERY)	
750 MCM Cu	95 Cycles/Charge

Huskie Tools is not affiliated with, authorized, or endorsed by Milwaukee Electric Tool Corporation. Milwaukee listed batteries and chargers are being re-sold by Huskie Tools. Milwaukee® M18™ REDLITHIUM™ are registered trademarks of Milwaukee Electric Tool Corporation. Huskie Tools is not affiliated with, authorized, or endorsed by Makita® Corporation. Makita® listed batteries and chargers are being re-sold by Huskie Tools. Makita® and LXT® are registered trademarks of Makita® Corporation.

THE POWER TO CHOOSE.

# S7L-MK510 & S7L-RL510

## 12 TON C-HEAD COMPRESSION TOOLS



S7L-MK510



S7L-RL510

### FEATURES

Accepts all "U" type industry standard die sets

Protective rubber boot on tool head helps protect against accidental contact with energized circuits

Open "C" head design allows easy placement and removal of connector from tool

Improved hydraulics deliver up to 2x faster compression speeds compared to previous generation tools

270° rotating head for ease-of-use and tool maneuverability

Auto-retract ram increases productivity and provides faster tool reset after completed cycle

Ram retract can also be stopped mid-cycle for faster repeat operation

Improved weather-resistant case design protects tool against rain & debris

Handle-forward design provides improved ergonomics and tool balance

Dual LED lights illuminate workspace in dark conditions

Integral trigger-lock helps prevent inadvertent tool actuation during transport and storage

5 Yr. Tool/3 Yr. Battery & Charger Warranty

### SERIES 7M PRO LINE

PRODUCT NO.	KIT INCLUDES
S7L-MK510-2	12 Ton Compression Tool with "C" Head (1.65"), (2) MAKITA LXT® LITHIUM-ION 5.0Ah, AC Charger
S7L-MK510DC-2	12 Ton Compression Tool with "C" Head (1.65"), (2) MAKITA LXT® LITHIUM-ION 5.0Ah, DC Charger
S7L-MK510X	12 Ton Compression Tool with "C" Head (1.65") Bare Tool with Tool Bag

### SERIES 7R PRO LINE

PRODUCT NO.	KIT INCLUDES
S7L-RL510-2	12 Ton Compression Tool with "C" Head (1.65"), (2) MILWAUKEE REDLITHIUM™ 5.0Ah, AC Charger
S7L-RL510DC-2	12 Ton Compression Tool with "C" Head (1.65"), (2) MILWAUKEE REDLITHIUM™ 5.0Ah, DC Charger
S7L-RL510X	12 Ton Compression Tool with "C" Head (1.65") Bare Tool with Tool Bag

SPECIFICATIONS	
CRIMP FORCE	12 Ton
WEIGHT (WITH BATTERY)	17.8 lbs (8.07 kg)
DIMENSIONS (H X L X W)	10.5" x 22" x 3.5", 266 x 558 x 88 mm
JAW OPENING	1.65" / 41.9 mm

CONNECTOR RANGE	
LUGS & SPLICES	750 MCM Al/Cu

CRIMPING ESTIMATES (5.0Ah BATTERY)	
500 MCM COPPER 750 ALUMINUM	150 Cycles

Huskie Tools is not affiliated with, authorized, or endorsed by Milwaukee Electric Tool Corporation. Milwaukee listed batteries and chargers are being re-sold by Huskie Tools. Milwaukee® M18™ REDLITHIUM™ are registered trademarks of Milwaukee Electric Tool Corporation. Huskie Tools is not affiliated with, authorized, or endorsed by Makita® Corporation. Makita® listed batteries and chargers are being re-sold by Huskie Tools. Makita® and LXT® are registered trademarks of Makita® Corporation.



# S7L-MK510K & S7L-RL510K

## 12 TON KEARNEY COMPRESSION TOOLS



S7L-MK510K

S7L-RL510K

**NEW**

### FEATURES

Accepts all WH-2, WH-3 and PH-2 Kearney style die sets, as well as “U” type industry standard dies with use of UDK-1 die adapter

Protective rubber boot on tool head helps protect against accidental contact with energized circuits

Open “C” head design allows easy placement and removal of connector from tool

Improved hydraulics deliver up to 2x faster compression speeds compared to previous generation tools

270° rotating head for ease-of-use and tool maneuverability

Auto-retract ram increases productivity and provides faster tool reset after completed cycle

Ram retract can also be stopped mid-cycle for faster repeat operation

Improved weather-resistant case design protects tool against rain & debris

Handle-forward design provides improved ergonomics and tool balance

Dual LED lights illuminate workspace in dark conditions

Integral trigger-lock helps prevent inadvertent tool actuation during transport and storage

5 Yr. Tool/3 Yr. Battery & Charger Warranty

THE POWER TO CHOOSE.

### SERIES 7M PRO LINE

PRODUCT NO.	KIT INCLUDES
S7L-MK510K-2	12 Ton Compression Tool with Kearney Head, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, AC Charger
S7L-MK510KDC-2	12 Ton Compression Tool with Kearney Head, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, DC Charger
S7L-MK510KX	12 Ton Compression Tool with Kearney Head Bare Tool with Tool Bag

### SERIES 7R PRO LINE

PRODUCT NO.	KIT INCLUDES
S7L-RL510K-2	12 Ton Compression Tool with Kearney Head, (2) MILWAUKEE REDLITHIUM™ 5.0Ah, AC Charger
S7L-RL510KDC-2	12 Ton Compression Tool with Kearney Head, (2) MILWAUKEE REDLITHIUM™ 5.0Ah, DC Charger
S7L-RL510KX	12 Ton Compression Tool with Kearney Head Bare Tool with Tool Bag

### SPECIFICATIONS

CRIMP FORCE	12 Ton
WEIGHT (WITH BATTERY)	17.3 lbs (7.8 kg)
DIMENSIONS (H X L X W)	10" x 21" x 3.5", 254 x 533 x 88 mm
JAW OPENING	1.5" / 38 mm

### CONNECTOR RANGE

LUGS	Up to 1033 ACSR
SPLICES	Up to 477 ACSR

### CRIMPING ESTIMATES (5.0Ah BATTERY)

500 MCM COPPER 750 ALUMINUM	150 Cycles
--------------------------------	------------

Huskie Tools is not affiliated with, authorized, or endorsed by Milwaukee Electric Tool Corporation. Milwaukee listed batteries and chargers are being re-sold by Huskie Tools. Milwaukee® M18™ REDLITHIUM™ are registered trademarks of Milwaukee Electric Tool Corporation. Huskie Tools is not affiliated with, authorized, or endorsed by Makita® Corporation. Makita® listed batteries and chargers are being re-sold by Huskie Tools. Makita® and LXT® are registered trademarks of Makita® Corporation.

THE POWER TO CHOOSE.

# S7L-MK610 & S7L-RL610

## 15 TON COMPRESSION TOOLS



S7L-MK610



S7L-RL610

### FEATURES

Accepts all “P” type industry standard die sets, and “U” type industry standard dies with use of PU-15 die adapter

Protective rubber boot on tool head helps protect against accidental contact with energized circuits

Improved hydraulics deliver up to 2x faster compression speeds compared to previous generation tools

270° rotating head for ease-of-use and tool maneuverability

Auto-retract ram increases productivity and provides faster tool reset after completed cycle

Ram retract can also be stopped mid-cycle for faster repeat operation

Improved weather-resistant case design protects tool against rain & debris

Handle-forward design provides improved ergonomics and tool balance

Dual LED lights illuminate workspace in dark conditions

Integral trigger-lock helps prevent inadvertent tool actuation during transport and storage

5 Yr. Tool/3 Yr. Battery & Charger Warranty

### SERIES 7M PRO LINE

PRODUCT NO.	KIT INCLUDES
S7L-MK610	15 Ton Compression Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
S7L-MK610DC	15 Ton Compression Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
S7L-MK610X	15 Ton Compression Tool and Tool Bag

### SERIES 7R PRO LINE

PRODUCT NO.	KIT INCLUDES
S7L-RL610-2	15 Ton Compression Tool, (2) MILWAUKEE REDLITHIUM™ 5.0Ah, 120VAC Charger, Tool Bag
S7L-RL610DC-2	15 Ton Compression Tool, (2) MILWAUKEE REDLITHIUM™ 5.0Ah, 12VDC Charger, Tool Bag
S7L-RL610X	15 Ton Compression Tool and Tool Bag

SPECIFICATIONS	
CRIMP FORCE	15 Ton
WEIGHT (WITH BATTERY)	19.8 lbs (8.98 kg)
DIMENSIONS (H X L X W)	10.5" x 23.5" x 3.5", 266 x 596 x 88 mm
JAW OPENING	2" / 50.8 mm

CONNECTOR RANGE	
LUGS & SPLICES	#8 - 750 MCM Copper #10 - 750 MCM Aluminum
H-TAP	Up to 750/750 MCM

CRIMPING ESTIMATES (5.0Ah BATTERY)	
1000 MCM CU	95 Cycles

Huskie Tools is not affiliated with, authorized, or endorsed by Milwaukee Electric Tool Corporation. Milwaukee listed batteries and chargers are being re-sold by Huskie Tools. Milwaukee® M18™ REDLITHIUM™ are registered trademarks of Milwaukee Electric Tool Corporation. Huskie Tools is not affiliated with, authorized, or endorsed by Makita® Corporation. Makita® listed batteries and chargers are being re-sold by Huskie Tools. Makita® and LXT® are registered trademarks of Makita® Corporation.

# S7L-MK610TB & S7L-RL610TB

## 15 TON COMPRESSION TOOLS

THE POWER TO CHOOSE.



S7L-MK610TB



S7L-RL610TB

### FEATURES

Accepts T&B style 15 ton dies and "U" type industry standard dies with use of a T&B die adapter

Protective rubber boot on tool head helps protect against accidental contact with energized circuits

Improved hydraulics deliver up to 2x faster compression speeds compared to previous generation tools

270° rotating head for ease-of-use and tool maneuverability

Auto-retract ram increases productivity and provides faster tool reset after completed cycle

Ram retract can also be stopped mid-cycle for faster repeat operation

Improved weather-resistant case design protects tool against rain & debris

Handle-forward design provides improved ergonomics and tool balance

Dual LED lights illuminate workspace in dark conditions

Integral trigger-lock helps prevent inadvertent tool actuation during transport and storage

5 Yr. Tool/3 Yr. Battery & Charger Warranty

### SERIES 7M PRO LINE

PRODUCT NO.	KIT INCLUDES
S7L-MK610TB	15 Ton Compression Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
S7L-MK610TBDC	15 Ton Compression Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
S7L-MK610TBX	15 Ton Compression Tool and Tool Bag

### SERIES 7R PRO LINE

PRODUCT NO.	KIT INCLUDES
S7L-RL610TB-2	15 Ton Compression Tool, (2) MILWAUKEE REDLITHIUM™ 5.0Ah, 120VAC Charger, Tool Bag
S7L-RL610TBDC-2	15 Ton Compression Tool, (2) MILWAUKEE REDLITHIUM™ 5.0Ah, 12VDC Charger, Tool Bag
S7L-RL610TBX	15 Ton Compression Tool and Tool Bag

SPECIFICATIONS	
CRIMP FORCE	15 Ton
WEIGHT (WITH BATTERY)	19.8 lbs (8.98 kg)
DIMENSIONS (H X L X W)	10.5" x 23.5" x 3.5", 266 x 596 x 88 mm
JAW OPENING	2" / 50.8 mm

CONNECTOR RANGE	
LUGS & SPLICES	#8 - 750 MCM Copper
	#10 - 750 MCM Aluminum
H-TAP	Up to 750/750 MCM

CRIMPING ESTIMATES (5.0Ah BATTERY)	
1000 MCM CU	95 Cycles

Huskie Tools is not affiliated with, authorized, or endorsed by Milwaukee Electric Tool Corporation. Milwaukee listed batteries and chargers are being re-sold by Huskie Tools. Milwaukee® M18™ REDLITHIUM™ are registered trademarks of Milwaukee Electric Tool Corporation. Huskie Tools is not affiliated with, authorized, or endorsed by Makita® Corporation. Makita® listed batteries and chargers are being re-sold by Huskie Tools. Makita® and LXT® are registered trademarks of Makita® Corporation.



# THE POWER TO CHOOSE—45 YEARS OF INNOVATION

## TOUGH & DEPENDABLE

Over the past 45 years, Huskie Tools has established a reputation for building battery-powered compression and cutting tools that are as tough and dependable as the linemen who use them. Our hydraulic cutting and compression tools are the most durable and dependable — designed specifically for experienced utility linemen.

## LINEMAN PROVEN – UTILITY APPROVED

We know what it's like to use our tools in a driving rainstorm with thousands of families depending on you to restore their power. Or to have to twist and contort your body just to access an underground area that needs repair. That is why we offer our extensive line of battery-operated hydraulic tools that are among the fastest, and most ergonomically designed and balanced on the market.

No competitor comes close to the breadth of product solutions that we offer, and we're the No. 1 choice of experienced linemen for a reason.

And we stand behind our tools. We take pride in serving the needs of the utility industry. Through in-depth industry knowledge and unsurpassed tool expertise, Huskie Tools provides truly exceptional customer service, technical support, and product service.

## A SPIRIT OF INNOVATION

We are constantly innovating our products to give our customers the best technology because we know you have the power to choose the tools that are best for you.

We introduced the industry's first line of battery-powered hydraulic tools in 1989, and today we offer over **190 battery-powered tools** using three different battery platforms. To provide linemen with the best utility grade tools and choice of battery platform, we have designed our tools to work with the best performing, most dependable batteries on the market.

## THE NEXT 45 YEARS

At Huskie Tools, we've spent the last 45 years doing one thing – building the best & safest hydraulic cutting and compression tools in the utility industry. We live, eat, and breathe lineman tools. They're not just tools, they're our business—**our ONLY business.**

We appreciate our thousands of loyal customers, and we're committed to supporting our industry's ability to choose the tools that work best no matter the project or application. We look forward to continuing to innovate so that we are the choice of utility lineman for the next 45 years too.



[CHOOSEHUSKIEPOWER.HUSKIETOOLS.COM](http://CHOOSEHUSKIEPOWER.HUSKIETOOLS.COM)





# CUTTING TOOLS

- Ergonomic design for easy one-hand operation
- Optimized hydraulics offer 20% faster advance and 30% faster retraction speeds than previous generation tools
- Patent pending Auto-Retract feature on pistol grip models provides a user-selectable ON/OFF switch to enable or disable automatic cycle retraction
- Choices include INLINE, GEAR DRIVE, PISTOL-GRIP, and LUNCH BOX style tools
- 5 Yr. Tool/3 Yr. Battery—Huskie Tools Limited Warranty

# SL-MK7NDCUAL

## 6 TON INLINE CUTTING TOOL—WITH CHANGEABLE HEADS

THE POWER TO CHOOSE.



**NEW**

SL-MK7NDCUAL

**SERIES 7M**  
PRO LINE

### FEATURES

Ergonomic design for easy one-hand operation

180° rotating head with forged jaws and protective brush guards

Pull-pin head design allows quick change of available jaws

**NEW** AL/CU Jaw capacity up to 750 MCM; ACSR Jaw capacity up to 556 MCM




5 yr. Tool/3 yr. Battery—Huskie Tools Limited Warranty

### CUTTING CAPACITIES

	EVS-ACSRJAW	EVS-CUALJAW	SLGW-JAW
<b>COPPER</b>	Up to 350 MCM	Up to 750 MCM	Up to 4/0
<b>ALUMINUM</b>	Up to 350 MCM	Up to 1" O.D.	Up to 4/0
<b>ACSR</b>	Up to 556 MCM	<i>Do Not Cut</i>	Up to 4/0
<b>EHS GUY WIRE, SOFT LOCKS, SOFT STEEL BOLTS</b>	<i>Do Not Cut</i>	<i>Do Not Cut</i>	Up to 3/8" Dia.

### SPECIFICATIONS


<b>CUTTING FORCE</b>	6 Ton
<b>WEIGHT</b>	5.9 lbs (2.7 kg)
<b>DIMENSIONS (H X L X W)</b>	15.80" x 4.50" x 3.30", 401 x 115 x 84mm

PRODUCT NO.	JAW	BATTERY (QTY)	CHARGER	TOOL BAG
SL-MK7NDCUAL		(2) MAKITA LXT® LITHIUM-ION 5.0Ah	120VAC	Included
SL-MK7NDCUALDC		(2) MAKITA LXT® LITHIUM-ION 5.0Ah	12VDC	
SL-MK7NDCUALX		Not Included	N/A	
SL-MK7NDACSR		(2) MAKITA LXT® LITHIUM-ION 5.0Ah	120VAC	Included
SL-MK7NDACSRDC		(2) MAKITA LXT® LITHIUM-ION 5.0Ah	12VDC	
SL-MK7NDACSRX		Not Included	N/A	
SL-MK7NDGW		(2) MAKITA LXT® LITHIUM-ION 5.0Ah	120VAC	Included
SL-MK7NDGWDC		(2) MAKITA LXT® LITHIUM-ION 5.0Ah	12VDC	
SL-MK7NDGWX		Not Included	N/A	



SL-MK7NDCUAL

### OPTIONAL JAWS (ORDER SEPARATELY)



SLND3-JAW

SLBG-JAW

SLO-JAW

SLK-JAW

SLCB-JAW

Huskie Tools is not affiliated with, authorized, or endorsed by Milwaukee Electric Tool Corporation. Milwaukee listed batteries and chargers are being re-sold by Huskie Tools. Milwaukee® M18™ REDLITHIUM™ are registered trademarks of Milwaukee Electric Tool Corporation. Huskie Tools is not affiliated with, authorized, or endorsed by Makita® Corporation. Makita® listed batteries and chargers are being re-sold by Huskie Tools. Makita® and LXT® are registered trademarks of Makita® Corporation.

# SL-RL7NDCUAL

## 6 TON INLINE CUTTING TOOL—WITH CHANGEABLE HEADS



**NEW**

SL-RL7NDCUAL

**SERIES 7R**  
PRO LINE



SL-RL7NDCUAL

### FEATURES

Ergonomic design for easy one-hand operation

180° rotating head with forged jaws and protective brush guards

Pull-pin head design allows quick change of available jaws

**NEW** AL/CU Jaw capacity up to 750 MCM; ACSR Jaw capacity up to 556 MCM




5 yr. Tool/3 yr. Battery-Huskie Tools Limited Warranty

### CUTTING CAPACITIES

	EVS-ACSRJAW	EVS-CUALJAW	SLGW-JAW
<b>COPPER</b>	Up to 350 MCM	Up to 750 MCM	Up to 4/0
<b>ALUMINUM</b>	Up to 350 MCM	Up to 1" O.D.	Up to 4/0
<b>ACSR</b>	Up to 556 MCM	<i>Do Not Cut</i>	Up to 4/0
<b>EHS GUY WIRE, SOFT LOCKS, SOFT STEEL BOLTS</b>	<i>Do Not Cut</i>	<i>Do Not Cut</i>	Up to 3/8" Dia.

### SPECIFICATIONS

<b>CUTTING FORCE</b>	6 Ton
<b>WEIGHT</b>	5.9 lbs (2.7 kg)
<b>DIMENSIONS (H X L X W)</b>	15.80" x 4.50" x 3.30", 401 x 115 x 84mm

PRODUCT NO.	JAW	BATTERY (QTY)	CHARGER	TOOL BAG
SL-RL7NDCUAL		(2) MILWAUKEE REDLITHIUM™ 2.0Ah	120VAC	Included
SL-RL7NDCUALDC		(2) MILWAUKEE REDLITHIUM™ 2.0Ah	12VDC	
SL-RL7NDCUALX		Not Included	N/A	
SL-RL7NDACSR		(2) MILWAUKEE REDLITHIUM™ 2.0Ah	120VAC	Included
SL-RL7NDACSRDC		(2) MILWAUKEE REDLITHIUM™ 2.0Ah	12VDC	
SL-RL7NDACSRX		Not Included	N/A	
SL-RLNDGW		(2) MILWAUKEE REDLITHIUM™ 2.0Ah	120VAC	Included
SL-RLNDGWDC		(12) MILWAUKEE REDLITHIUM™ 2.0Ah	12VDC	
SL-RLNDGWX		Not Included	N/A	

### OPTIONAL JAWS (ORDER SEPARATELY)



SLND3-JAW



SLBG-JAW



SLO-JAW



SLK-JAW



SLCB-JAW

Huskie Tools is not affiliated with, authorized, or endorsed by Milwaukee Electric Tool Corporation. Milwaukee listed batteries and chargers are being re-sold by Huskie Tools. Milwaukee® M18™ REDLITHIUM™ are registered trademarks of Milwaukee Electric Tool Corporation. Huskie Tools is not affiliated with, authorized, or endorsed by Makita® Corporation. Makita® listed batteries and chargers are being re-sold by Huskie Tools. Makita® and LXT® are registered trademarks of Makita® Corporation.

THE POWER TO CHOOSE.



# REC-MK7NDCUAL

## 6 TON CUTTING TOOL—WITH CHANGEABLE HEADS

THE POWER TO CHOOSE.



REC-MK7NDCUAL

SERIES 7M  
PRO LINE

CUTTING CAPACITIES			
	EVS-ACSRJAW	EVS-CUALJAW	SLGW-JAW
COPPER	Up to 350 MCM	Up to 750 MCM	Up to 4/0
ALUMINUM	Up to 350 MCM	Up to 1" O.D.	Up to 4/0
ACSR	Up to 556 MCM	<i>Do Not Cut</i>	Up to 4/0
EHS GUY WIRE, SOFT LOCKS, SOFT STEEL BOLTS	<i>Do Not Cut</i>	<i>Do Not Cut</i>	Up to 3/8" Dia.

SPECIFICATIONS	
CUTTING FORCE	6 Ton
WEIGHT	7.9 lbs (3.6 kg)
DIMENSIONS (H X L X W)	13.70" x 10.60" x 3.30", 349 x 269 x 85mm

### FEATURES




Optimized hydraulics for faster advance and retract speeds vs. previous generation

Patent-pending selectable auto-retract switch

180° rotating head with forged jaws and protective brush guards

**NEW** AL/CU Jaw capacity up to 750 MCM; ACSR Jaw capacity up to 556 MCM

5 yr. Tool/3 yr. Battery—  
Huskie Tools Limited Warranty

PRODUCT NO.	JAW	BATTERY (QTY)	CHARGER	TOOL BAG
REC-MK7NDCUAL		(2) MAKITA LXT® LITHIUM-ION 5.0Ah	120VAC	Included
REC-MK7NDCUALDC		(2) MAKITA LXT® LITHIUM-ION 5.0Ah	12VDC	
REC-MK7NDCUALX		Not Included	N/A	
REC-MK7NDACSR		(2) MAKITA LXT® LITHIUM-ION 5.0Ah	120VAC	Included
REC-MK7NDACSRDC		(2) MAKITA LXT® LITHIUM-ION 5.0Ah	12VDC	
REC-MK7NDACSRX		Not Included	N/A	
REC-MK7NDGW		(2) MAKITA LXT® LITHIUM-ION 5.0Ah	120VAC	Included
REC-MK7NDGWDC		(2) MAKITA LXT® LITHIUM-ION 5.0Ah	12VDC	
REC-MK7NDGWX		Not Included	N/A	

### OPTIONAL JAWS (ORDER SEPARATELY)



SLND3-JAW



SLBG-JAW



SLO-JAW



SLK-JAW



SLCB-JAW

Huskie Tools is not affiliated with, authorized, or endorsed by Milwaukee Electric Tool Corporation. Milwaukee listed batteries and chargers are being re-sold by Huskie Tools. Milwaukee® M18™ REDLITHIUM™ are registered trademarks of Milwaukee Electric Tool Corporation. Huskie Tools is not affiliated with, authorized, or endorsed by Makita® Corporation. Makita® listed batteries and chargers are being re-sold by Huskie Tools. Makita® and LXT® are registered trademarks of Makita® Corporation.



# REC-RL7NDCUAL

## 6 TON CUTTING TOOL—WITH CHANGEABLE HEADS



REC-RL7NDCUAL

**SERIES 7R**  
PRO LINE

### CUTTING CAPACITIES

	EVS-ACSRJAW	EVS-CUALJAW	SLGW-JAW
<b>COPPER</b>	Up to 350 MCM	Up to 750 MCM	Up to 4/0
<b>ALUMINUM</b>	Up to 350 MCM	Up to 1" O.D.	Up to 4/0
<b>ACSR</b>	Up to 556 MCM	<i>Do Not Cut</i>	Up to 4/0
<b>EHS GUY WIRE, SOFT LOCKS, SOFT STEEL BOLTS</b>	<i>Do Not Cut</i>	<i>Do Not Cut</i>	Up to 3/8" Dia.

### SPECIFICATIONS

<b>CUTTING FORCE</b>	6 Ton
<b>WEIGHT</b>	7.9 lbs (3.6 kg)
<b>DIMENSIONS (H X L X W)</b>	13.70" x 10.60" x 3.30", 349 x 269 x 85mm

THE POWER TO CHOOSE.

### FEATURES




Optimized hydraulics for faster advance and retract speeds vs. previous generation

Patent-pending selectable auto-retract switch

180° rotating head with forged jaws and protective brush guards

**NEW** AL/CU Jaw capacity up to 750 MCM; ACSR Jaw capacity up to 556 MCM

5 yr. Tool/3 yr. Battery—  
Huskie Tools Limited Warranty

PRODUCT NO.	JAW	BATTERY (QTY)	CHARGER	TOOL BAG
REC-RL7NDCUAL		(1) MILWAUKEE REDLITHIUM™ 2.0Ah	120VAC	Included
REC-RL7NDCUALDC		(1) MILWAUKEE REDLITHIUM™ 2.0Ah	12VDC	
REC-RL7NDCUALX		Not Included	N/A	
REC-RL7NDACSR		(1) MILWAUKEE REDLITHIUM™ 2.0Ah	120VAC	Included
REC-RL7NDACSRDC		(1) MILWAUKEE REDLITHIUM™ 2.0Ah	12VDC	
REC-RL7NDACSRX		Not Included	N/A	
REC-RLNDGW		(1) MILWAUKEE REDLITHIUM™ 2.0Ah	120VAC	Included
REC-RLNDGWDC		(1) MILWAUKEE REDLITHIUM™ 2.0Ah	12VDC	
REC-RLNDGWX		Not Included	N/A	

### OPTIONAL JAWS (ORDER SEPARATELY)



SLND3-JAW



SLBG-JAW



SLO-JAW



SLK-JAW



SLCB-JAW

Huskie Tools is not affiliated with, authorized, or endorsed by Milwaukee Electric Tool Corporation. Milwaukee listed batteries and chargers are being re-sold by Huskie Tools. Milwaukee® M18™ REDLITHIUM™ are registered trademarks of Milwaukee Electric Tool Corporation. Huskie Tools is not affiliated with, authorized, or endorsed by Makita® Corporation. Makita® listed batteries and chargers are being re-sold by Huskie Tools. Makita® and LXT® are registered trademarks of Makita® Corporation.

# SL-MKS720 & SL-RLS720

## 6 TON INLINE CUTTING TOOLS

THE POWER TO CHOOSE.

### FEATURES

Latched cutting head for superior shear strength on tough materials

Head rotates 180° for optimum maneuverability in tight work spaces

5 Yr. Tool/3 Yr. Battery—Huskie Tools Limited Warranty



SL-MKS720



NEW

SL-RLS720

### SERIES 7M PRO LINE

PRODUCT NO.	KIT INCLUDES
SL-MKS720	6 Ton Cutting Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
SL-MKS720DC	6 Ton Cutting Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
SL-MKS720X	6 Ton Cutting Tool, Bare Tool with Tool Bag

### SERIES 7R PRO LINE

PRODUCT NO.	KIT INCLUDES
SL-RLS720	6 Ton Cutting Tool, (2) MILWAUKEE RED-LITHIUM™ 2.0Ah, 120VAC Charger, Tool Bag
SL-RLS720DC	6 Ton Cutting Tool, (2) MILWAUKEE RED-LITHIUM™ 2.0Ah, 12VDC Charger, Tool Bag
SL-RLS720X	6 Ton Cutting Tool, Bare Tool with Tool Bag

SPECIFICATIONS	
CUTTING FORCE	6 Ton
WEIGHT	7.7 lbs (3.5 kg)
DIMENSIONS (H X L X W)	15.5" x 4.8" x 3.1", 394 x 123 x 79 mm

CUTTING CAPACITIES		CUTTING ESTIMATES (5.0AH BATTERY)	
WIRE ROPE	5/8" Dia.	336 ACSR	225 Cycles/Charge
REBAR (SC 40)	1/2" Dia.	1/2" WIRE ROPE	275 Cycles/Charge
REBAR (SC 60)	3/8" Dia.	1/2" REBAR	275 Cycles/Charge
GROUND ROD	1/2" Dia.	1/2" GROUND ROD	275 Cycles/Charge
ACSR	477 MCM	3/8" GUY WIRE	225 Cycles/Charge
GUY WIRE	3/8" Dia.		

Huskie Tools is not affiliated with, authorized, or endorsed by Milwaukee Electric Tool Corporation. Milwaukee listed batteries and chargers are being re-sold by Huskie Tools. Milwaukee® M18™ REDLITHIUM™ are registered trademarks of Milwaukee Electric Tool Corporation. Huskie Tools is not affiliated with, authorized, or endorsed by Makita® Corporation. Makita® listed batteries and chargers are being re-sold by Huskie Tools. Makita® and LXT® are registered trademarks of Makita® Corporation.

# REC-MKS724H & REC-RLS724H

## 8 TON CUTTING TOOLS



REC-MKS724H



**NEW**

REC-RLS724H

THE POWER TO CHOOSE.

### FEATURES

Optimized hydraulics for faster advance and retract speeds vs. previous generation

Patent-pending selectable auto-retract switch

Head rotates 180° for optimum maneuverability in tight work spaces

5 Yr. Tool/3 Yr. Battery—Huskie Tools Limited Warranty

### SERIES 7M PRO LINE

PRODUCT NO.	KIT INCLUDES
REC-MKS724H	8 Ton Cutting Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
REC-MKS724HDC	8 Ton Cutting Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
REC-MKS724HX	8 Ton Cutting Tool, Bare Tool with Tool Bag

SPECIFICATIONS	
CUTTING FORCE	8 Ton
WEIGHT	11.0 lbs (5.0 kg)
DIMENSIONS (H X L X W)	14.7" x 13.2" x 3.3", 375 x 335 x 85 mm

### SERIES 7R PRO LINE

PRODUCT NO.	KIT INCLUDES
REC-RLS724H-1	8 Ton Cutting Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 120VAC Charger, Tool Bag
REC-RLS724HDC-1	8 Ton Cutting Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 12VDC Charger, Tool Bag
REC-RLS724HX	8 Ton Cutting Tool, Bare Tool with Tool Bag

CUTTING CAPACITIES		CUTTING ESTIMATES (5.0Ah BATTERY)	
WIRE ROPE	7/8" Dia.	1/2" WIRE ROPE	350 Cycles/Charge
REBAR (SC 40)	5/8" Dia.	1/2" REBAR	350 Cycles/Charge
REBAR (SC 60)	1/2" Dia.	1/2" GROUND ROD	350 Cycles/Charge
GROUND ROD	5/8" Dia.	GUY WIRE	375 Cycles/Charge
ACSR	477 MCM		
GUY WIRE	5/8" Dia.		
CU/AL CABLE	7/16" Dia.		

Huskie Tools is not affiliated with, authorized, or endorsed by Milwaukee Electric Tool Corporation. Milwaukee listed batteries and chargers are being re-sold by Huskie Tools. Milwaukee® M18™ REDLITHIUM™ are registered trademarks of Milwaukee Electric Tool Corporation. Huskie Tools is not affiliated with, authorized, or endorsed by Makita® Corporation. Makita® listed batteries and chargers are being re-sold by Huskie Tools. Makita® and LXT® are registered trademarks of Makita® Corporation.

# REC-MKS724CC & REC-RLS724CC

## 8 TON CUTTING TOOLS

THE POWER TO CHOOSE.



### FEATURES

Optimized hydraulics for faster advance and retract speeds vs. previous generation

Patent-pending selectable auto-retract switch

Latched cutting head for superior shear strength on tough materials

Specifically designed anvil blades made to cut EHS guy wire up to 9/16"

Head rotates 180° for optimum maneuverability in tight work spaces

5 Yr. Tool/3 Yr. Battery—Huskie Tools Limited Warranty

### SERIES 7M PRO LINE

PRODUCT NO.	KIT INCLUDES
REC-MKS724CC	8 Ton Cutting Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
REC-MKS724CCDC	8 Ton Cutting Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
REC-MKS724CCX	8 Ton Cutting Tool, Bare Tool with Tool Bag

SPECIFICATIONS	
CUTTING FORCE	8 Ton
WEIGHT	11 lbs (5 kg)
DIMENSIONS (H X L X W)	13" x 11" x 3.3", 334 x 280 x 85 mm

### SERIES 7R PRO LINE

PRODUCT NO.	KIT INCLUDES
REC-RLS724CC-1	8 Ton Cutting Tool, (1) MILWAUKEE RED-LITHIUM™ 5.0Ah, 120VAC Charger, Tool Bag
REC-RLS724CCDC-1	8 Ton Cutting Tool, (1) MILWAUKEE RED-LITHIUM™ 5.0Ah, 12VDC Charger, Tool Bag
REC-RLS724CCX	8 Ton Cutting Tool, Bare Tool with Tool Bag

CUTTING CAPACITIES		CUTTING ESTIMATES [5.0Ah BATTERY]	
ACSR	477 MCM	477 ACSR	375 Cycles/Charge
GUY WIRE	5/8" Dia.	1/2" WIRE ROPE	350 Cycles/Charge
EHS GUY WIRE	9/16" Dia.	1/2" GROUND ROD	350 Cycles/Charge
GROUND ROD	5/8" Dia.	3/8" GUY WIRE	350 Cycles/Charge
REBAR (SC 40)	5/8" Dia.		

Huskie Tools is not affiliated with, authorized, or endorsed by Milwaukee Electric Tool Corporation. Milwaukee listed batteries and chargers are being re-sold by Huskie Tools. Milwaukee® M18™ RED LITHIUM™ are registered trademarks of Milwaukee Electric Tool Corporation. Huskie Tools is not affiliated with, authorized, or endorsed by Makita® Corporation. Makita® listed batteries and chargers are being re-sold by Huskie Tools. Makita® and LXT® are registered trademarks of Makita® Corporation.



# REC-MK730Y & REC-RL730Y

## 6.6 TON CUTTING TOOLS



REC-MK730Y



REC-RL730Y

THE POWER TO CHOOSE.

### FEATURES

Blade keeper prevents jaws from spreading apart when cutting ACSR

Optimized hydraulics for faster advance and retract speeds vs. previous generation

Patent-pending selectable auto-retract switch

Head rotates 180° for optimum maneuverability in tight work spaces

5 Yr. Tool. 3 Yr. Battery—Huskie Tools Limited Warranty

### SERIES 7M

PRODUCT NO.	KIT INCLUDES
REC-MK730Y	6.6 Ton Cutting Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
REC-MK730YDC	6.6 Ton Cutting Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
REC-MK730YX	6.6 Ton Cutting Tool, Bare Tool with Tool Bag

### SERIES 7R

PRODUCT NO.	KIT INCLUDES
REC-RL730Y	6.6 Ton Cutting Tool, (2) MILWAUKEE RED-LITHIUM™ 2.0Ah, 120VAC Charger, Tool Bag
REC-RL730YDC	6.6 Ton Cutting Tool, (2) MILWAUKEE RED-LITHIUM™ 2.0Ah, 12VDC Charger, Tool Bag
REC-RL730YX	6.6 Ton Cutting Tool, Bare Tool with Tool Bag

SPECIFICATIONS	
CUTTING FORCE	6.6 Ton
WEIGHT	9.2 lbs (4.2 kg)
DIMENSIONS (H X L X W)	13.3" x 10.6" x 3.3", 339 x 269 x 85 mm

CUTTING CAPACITIES	
ACSR*	336 MCM
COPPER	500 MCM
ALUMINUM	1.18" O.D.
STANDARD GUY WIRE	3/8" Dia.
REBAR	Do Not Cut

CUTTING ESTIMATES (5.0Ah BATTERY)	
336 ACSR	350 Cycles/Charge

Huskie Tools is not affiliated with, authorized, or endorsed by Milwaukee Electric Tool Corporation. Milwaukee listed batteries and chargers are being re-sold by Huskie Tools. Milwaukee® M18™ REDLITHIUM™ are registered trademarks of Milwaukee Electric Tool Corporation. Huskie Tools is not affiliated with, authorized, or endorsed by Makita® Corporation. Makita® listed batteries and chargers are being re-sold by Huskie Tools. Makita® and LXT® are registered trademarks of Makita® Corporation.

# REC-MK734YC & REC-RL734YC

## 6.6 TON CUTTING TOOLS

THE POWER TO CHOOSE.



REC-MK734YC



REC-RL734YC

### FEATURES

Optimized hydraulics offer 20% faster advance and 30% faster retraction speeds than previous generation tools

Patent-pending selectable auto-retract switch

Open scissor type cutting blades allow for easy cable insertion and positioning without the need to latch the head closed prior to cutting

Head rotates 180° for optimum maneuverability in tight work spaces

5 Yr. Tool/3 Yr. Battery—Huskie Tools Limited Warranty

### SERIES 7M

PRODUCT NO.	KIT INCLUDES
REC-MK734YC	6.6 Ton Cutting Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
REC-MK734YCDC	6.6 Ton Cutting Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
REC-MK734YCX	6.6 Ton Cutting Tool, Bare Tool with Tool Bag

### SERIES 7R

PRODUCT NO.	KIT INCLUDES
REC-RL734YC	6.6 Ton Cutting Tool, (2) MILWAUKEE REDLITHIUM™ 2.0Ah, 120VAC Charger, Tool Bag
REC-RL734YCDC	6.6 Ton Cutting Tool, (2) MILWAUKEE REDLITHIUM™ 2.0Ah, 12VDC Charger, Tool Bag
REC-RL734YCX	6.6 Ton Cutting Tool, Bare Tool with Tool Bag

SPECIFICATIONS	
CUTTING FORCE	6.6 Ton
WEIGHT	8.8 lbs (4.0 kg)
DIMENSIONS (H X L X W)	15.6" x 10.6" x 3.3", 396 x 269 x 85 mm

CUTTING CAPACITIES	
ALUMINUM	1.4" Dia.
COPPER	800 MCM
ACSR	Do Not Cut

CUTTING ESTIMATES (5.0Ah BATTERY)	
500 MCM CU	345 (Cycles/Charge)

Huskie Tools is not affiliated with, authorized, or endorsed by Milwaukee Electric Tool Corporation. Milwaukee listed batteries and chargers are being re-sold by Huskie Tools. Milwaukee® M18™ REDLITHIUM™ are registered trademarks of Milwaukee Electric Tool Corporation. Huskie Tools is not affiliated with, authorized, or endorsed by Makita® Corporation. Makita® listed batteries and chargers are being re-sold by Huskie Tools. Makita® and LXT® are registered trademarks of Makita® Corporation.

# REC-MK760YC & REC-RL760YC

## 6.6 TON CUTTING TOOLS



REC-MK760YC



REC-RL760YC

**NEW**

### FEATURES

Optimized hydraulics offer 20% faster advance and 30% faster retraction speeds than previous generation tools

Patent-pending selectable auto-retract switch

Open scissor type cutting blades allow for easy cable insertion and positioning without the need to latch the head closed prior to cutting

Head rotates 180° for optimum maneuverability in tight work spaces

5 Yr. Tool/3 Yr. Battery—Huskie Tools Limited Warranty

THE POWER TO CHOOSE.

### SERIES 7M

### SERIES 7R

PRODUCT NO.	KIT INCLUDES
REC-MK760YC	6.6 Ton Cutting Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
REC-MK734YCDC	6.6 Ton Cutting Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
REC-MK734YCX	6.6 Ton Cutting Tool, Bare Tool with Tool Bag

PRODUCT NO.	KIT INCLUDES
REC-RL760YC	6.6 Ton Cutting Tool, (2) MILWAUKEE REDLITHIUM™ 2.0Ah, 120VAC Charger, Tool Bag
REC-RL734YCDC	6.6 Ton Cutting Tool, (2) MILWAUKEE REDLITHIUM™ 2.0Ah, 12VDC Charger, Tool Bag
REC-RL734YCX	6.6 Ton Cutting Tool, Bare Tool with Tool Bag

SPECIFICATIONS	
CUTTING FORCE	6.6 Ton
WEIGHT	9.2 lbs (4.2 kg)
DIMENSIONS (H X L X W)	10.6" x 16.7" x 3.3", 69 x 424 x 85 mm

CUTTING CAPACITIES	
ALUMINUM	2" Dia.
COPPER	500 MCM
ACSR	Do Not Cut

CUTTING ESTIMATES (5.0Ah BATTERY)	
500 MCM CU	345 (Cycles/Charge)

Huskie Tools is not affiliated with, authorized, or endorsed by Milwaukee Electric Tool Corporation. Milwaukee listed batteries and chargers are being re-sold by Huskie Tools. Milwaukee® M18™ REDLITHIUM™ are registered trademarks of Milwaukee Electric Tool Corporation. Huskie Tools is not affiliated with, authorized, or endorsed by Makita® Corporation. Makita® listed batteries and chargers are being re-sold by Huskie Tools. Makita® and LXT® are registered trademarks of Makita® Corporation.

# SL-MKS740L & SL-RLS740L

## 8 TON CUTTING TOOLS

THE POWER TO CHOOSE.



SL-MKS740L

### FEATURES

Powerful, large capacity head cuts up to 1590 ACSR and a wide variety of materials

Latched cutting head for superior shear strength on tough materials

Head rotates 180° for optimum maneuverability in tight work spaces

5 Yr. Tool/3 Yr. Battery—Huskie Tools Limited Warranty



SL-RLS740L

**NEW**

### SERIES 7M PRO LINE

PRODUCT NO.	KIT INCLUDES
SL-MKS740L	8 Ton Cutting Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
SL-MKS740LDC	8 Ton Cutting Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
SL-MKS740LX	8 Ton Cutting Tool, Bare Tool with Tool Bag

### SERIES 7R PRO LINE

PRODUCT NO.	KIT INCLUDES
SL-RLS740L-1	8 Ton Cutting Tool, (1) MILWAUKEE RED-LITHIUM™ 5.0Ah, 120VAC Charger, Tool Bag
SL-RLS740LDC-1	8 Ton Cutting Tool, (1) MILWAUKEE RED-LITHIUM™ 5.0Ah, 12VDC Charger, Tool Bag
SL-RLS740LX	8 Ton Cutting Tool, Bare Tool with Tool Bag

SPECIFICATIONS	
CUTTING FORCE	8 Ton
WEIGHT	13.0 lbs (5.9 kg)
DIMENSIONS (H X L X W)	20.1" x 5.2" x 4.0", 12 x 134 x 103 mm

CUTTING CAPACITIES		CUTTING ESTIMATES (5.0Ah BATTERY)	
WIRE ROPE	3/4" Dia.	797 ACSR	135 Cycles/Charge
REBAR (SC 40)	5/8" Dia.	3/4" WIRE ROPE	95 Cycles/Charge
REBAR (SC 60)	5/8" Dia.	5/8" REBAR	165 Cycles/Charge
GROUND ROD	5/8" Dia.	5/8" GROUND ROD	165 Cycles/Charge
ACSR	1590 MCM	3/8" GUY WIRE	200 Cycles/Charge
GUY WIRE	5/8" Dia.		
CU/AL CABLE	1.5" Dia.		

Huskie Tools is not affiliated with, authorized, or endorsed by Milwaukee Electric Tool Corporation. Milwaukee listed batteries and chargers are being re-sold by Huskie Tools. Milwaukee® M18™ REDLITHIUM™ are registered trademarks of Milwaukee Electric Tool Corporation. Huskie Tools is not affiliated with, authorized, or endorsed by Makita® Corporation. Makita® listed batteries and chargers are being re-sold by Huskie Tools. Makita® and LXT® are registered trademarks of Makita® Corporation.



# REC-MKS740L & REC-RLS740L

## 8 TON CUTTING TOOLS



REC-MKS740L



REC-RLS740L

### FEATURES

Powerful, large capacity head cuts up to 1590 ACSR and a wide variety of materials

Optimized hydraulics for faster advance and retract speeds vs. previous generation

Patent-pending selectable auto-retract switch

Latched cutting head for superior shear strength on tough materials

Head rotates 180° for optimum maneuverability in tight work spaces

5 Yr. Tool/3 Yr. Battery—Huskie Tools Limited Warranty

THE POWER TO CHOOSE.

### SERIES 7M PRO LINE

PRODUCT NO.	KIT INCLUDES
REC-MKS740L	8 Ton Cutting Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
REC-MKS740LDC	8 Ton Cutting Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
REC-MKS740LX	8 Ton Cutting Tool, Bare Tool with Tool Bag

SPECIFICATIONS	
CUTTING FORCE	8 Ton
WEIGHT	14.3 lbs (6.5 kg)
DIMENSIONS (H X L X W)	11.5" x 17" x 3.6", 293 x 445 x 91 mm

### SERIES 7R PRO LINE

PRODUCT NO.	KIT INCLUDES
REC-RLS740L-1	8 Ton Cutting Tool, (1) MILWAUKEE RED-LITHIUM™ 5.0Ah, 120VAC Charger, Tool Bag
REC-RLS740LDC-1	8 Ton Cutting Tool, (1) MILWAUKEE RED-LITHIUM™ 5.0Ah, 12VDC Charger, Tool Bag
REC-RLS740LX	8 Ton Cutting Tool, Bare Tool with Tool Bag

CUTTING CAPACITIES		CUTTING ESTIMATES (5.0Ah BATTERY)	
WIRE ROPE	3/4" Dia.	797 ACSR	135 Cycles/Charge
REBAR (SC 40)	5/8" Dia.	3/4" WIRE ROPE	95 Cycles/Charge
REBAR (SC 60)	5/8" Dia.	5/8" REBAR	165 Cycles/Charge
GROUND ROD	5/8" Dia.	5/8" GROUND ROD	165 Cycles/Charge
ACSR	1590 MCM	3/8" GUY WIRE	200 Cycles/Charge
GUY WIRE	5/8" Dia.		
CU/AL CABLE	1.5" Dia.		

Huskie Tools is not affiliated with, authorized, or endorsed by Milwaukee Electric Tool Corporation. Milwaukee listed batteries and chargers are being re-sold by Huskie Tools. Milwaukee® M18™ REDLITHIUM™ are registered trademarks of Milwaukee Electric Tool Corporation. Huskie Tools is not affiliated with, authorized, or endorsed by Makita® Corporation. Makita® listed batteries and chargers are being re-sold by Huskie Tools. Makita® and LXT® are registered trademarks of Makita® Corporation.

# SL-MK795YC & SL-RL795YC

## 9 TON INLINE CUTTING TOOLS

THE POWER TO CHOOSE.



SL-MK795YC

### FEATURES

Open scissor type cutting blades allow for easy cable insertion and positioning without the need to latch the head closed prior to cutting

Sidebar style handles for stability and ergonomic two-hand grip

Head rotates 180 for optimum maneuverability in tight work spaces

5 Yr. Tool/3 Yr. Battery—Huskie Tools Limited Warranty



SL-RL795YC

**SERIES 7M**  
PRO LINE

**SERIES 7R**  
PRO LINE

PRODUCT NO.	KIT INCLUDES
SL-MK795YC	9 Ton Cutting Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
SL-MK795YCDC	9 Ton Cutting Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
SL-MK795YCX	9 Ton Cutting Tool, Bare Tool with Tool Bag

PRODUCT NO.	KIT INCLUDES
SL-RL795YC-1	9 Ton Cutting Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 120VAC Charger, Tool Bag
SL-RL795YCDC-1	9 Ton Cutting Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 12VDC Charger, Tool Bag
SL-RL795YCX	9 Ton Cutting Tool, Bare Tool with Tool Bag

SPECIFICATIONS	
CUTTING FORCE	9 Ton
WEIGHT	20.7 lbs (9.4 kg)
DIMENSIONS (H X L X W)	26.1" x 9.8" x 4.7", 633 x 250 x 120 mm

CUTTING CAPACITIES	
ALUMINUM	3.7" Dia.
TELECOMMUNICATION	3.7" Dia.
LEAD SHEATH	2.5" Dia.
ACSR	Do Not Cut

CUTTING ESTIMATES (5.0Ah BATTERY)	
1000 MCM CU	150 Cycles/Charge

Huskie Tools is not affiliated with, authorized, or endorsed by Milwaukee Electric Tool Corporation. Milwaukee listed batteries and chargers are being re-sold by Huskie Tools. Milwaukee® M18™ REDLITHIUM™ are registered trademarks of Milwaukee Electric Tool Corporation. Huskie Tools is not affiliated with, authorized, or endorsed by Makita® Corporation. Makita® listed batteries and chargers are being re-sold by Huskie Tools. Makita® and LXT® are registered trademarks of Makita® Corporation.

# REC-MK7105YC & REC-RL7105YC

## 9 TON CUTTING TOOLS



REC-MK7105YC



REC-RL7105YC

THE POWER TO CHOOSE.

### FEATURES

Optimized hydraulics offer 20% faster advance and 30% faster retraction cycles than previous generation tools for an overall reduction in wait time between compression or cutting cycles

Patent-pending selectable auto-retract switch

Head rotates 180 for optimum maneuverability in tight work spaces

Open scissor type cutting blades allow for easy cable insertion and positioning without the need to latch the head closed prior to cutting

Sidebar handle for stability and balance

5 Yr. Tool/3 Yr. Battery—Huskie Tools Limited Warranty

### SERIES 7M

PRODUCT NO.	KIT INCLUDES
REC-MK7105YC	9 Ton Cutting Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
REC-MK7105YCDC	9 Ton Cutting Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
REC-MK7105YCX	9 Ton Cutting Tool, Bare Tool with Tool Bag

### SERIES 7R

PRODUCT NO.	KIT INCLUDES
REC-RL7105YC-1	9 Ton Cutting Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 120VAC Charger, Tool Bag
REC-RL7105YCDC-1	9 Ton Cutting Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 12VDC Charger, Tool Bag
REC-RL7105YCX	9 Ton Cutting Tool, Bare Tool with Tool Bag

SPECIFICATIONS	
CUTTING FORCE	9 Ton
WEIGHT	19.8 lbs (9.0 kg)
DIMENSIONS (H X L X W)	13.7" x 23.6" x 3.9", 48 x 600 x 100 mm

CUTTING CAPACITIES	
ALUMINUM	4.1" Dia.
TELECOMMUNICATION	4.1" Dia.
LEAD SHEATH	2.5" Dia.
ACSR	Do Not Cut

CUTTING ESTIMATES (5.0Ah BATTERY)	
1000 MCM CU	150 Cycles/Charge

Huskie Tools is not affiliated with, authorized, or endorsed by Milwaukee Electric Tool Corporation. Milwaukee listed batteries and chargers are being re-sold by Huskie Tools. Milwaukee® M18™ REDLITHIUM™ are registered trademarks of Milwaukee Electric Tool Corporation. Huskie Tools is not affiliated with, authorized, or endorsed by Makita® Corporation. Makita® listed batteries and chargers are being re-sold by Huskie Tools. Makita® and LXT® are registered trademarks of Makita® Corporation.

# REC-MKY733M & REC-RLY733M

## GEAR-DRIVEN CABLE CUTTERS (ACSR/AL/CU)



REC-MKY733M

### FEATURES

Overload circuit protection if maximum cable size is exceeded

Cuts up to 636 MCM ACSR

One-hand operation

Safety lockout switch

5 Yr. Tool/3 Yr. Battery—  
Huskie Tools Limited  
Warranty



REC-RLY733M

### SERIES 7M PRO LINE

PRODUCT NO.	KIT INCLUDES
REC-MKY733M	Gear-Drive Cable Cutter Kit (ACSR/AL/CU), (2) MAKITA LXT® LITHIUM-ION 5.0Ah, AC CHARGER, & Tool Bag
REC-MKY733MDC	Gear-Drive Cable Cutter Kit (ACSR/AL/CU), (2) MAKITA LXT® LITHIUM-ION 5.0Ah, DC CHARGER, & Tool Bag
REC-MKY733MX	Gear-Drive Cable Cutter (ACSR/AL/CU) & Tool Bag

### SERIES 7R PRO LINE

PRODUCT NO.	KIT INCLUDES
REC-RLY733M-1	Gear-Drive Cable Cutter, Al/Cu, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 120VAC Charger, Tool Bag
REC-RLY733MDC-1	Gear-Drive Cable Cutter, Al/Cu, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 12VDC Charger, Tool Bag
REC-RLY733MX	Gear-Drive Cable Cutter, Al/Cu, Bare Tool with Tool Bag

SPECIFICATIONS	
WEIGHT (WITH BATTERY)	6.6 lbs (3.0 kg)
DIMENSIONS (H X L X W)	14.5" x 4.6" x 5.5", 368 x 117 x 140 mm

CUTTING CAPACITIES	
ALUMINUM	1.25 IN
COPPER	500 MCM
ACSR	636 MCM

CUTTING ESTIMATES (5.0Ah BATTERY)	
477 ACSR	250 Cycles/Charge
500 MCM Copper	100 Cycles/Charge

Huskie Tools is not affiliated with, authorized, or endorsed by Milwaukee Electric Tool Corporation. Milwaukee listed batteries and chargers are being re-sold by Huskie Tools. Milwaukee® M18™ REDLITHIUM™ are registered trademarks of Milwaukee Electric Tool Corporation. Huskie Tools is not affiliated with, authorized, or endorsed by Makita® Corporation. Makita® listed batteries and chargers are being re-sold by Huskie Tools. Makita® and LXT® are registered trademarks of Makita® Corporation.



# REC-MK754M & REC-RL754M

## GEAR-DRIVE CABLE CUTTERS (ACSR/AL/CU)



REC-MK754M

### FEATURES

Overload circuit protection if maximum cable size is exceeded

Blade notch for cutting steel core on ACSR cable

Improved ergonomic handle

2-1/8" jaw opening

Cuts up to 1590 ACSR

One-hand operation

Safety lockout switch

5 Yr. Tool/3 Yr. Battery—  
Huskie Tools Limited  
Warranty



REC-RL754M

THE POWER TO CHOOSE.

### SERIES 7M

PRODUCT NO.	KIT INCLUDES
REC-MK754M	Gear-Drive Cable Cutter Kit (ACSR/AL/CU), (2) MAKITA LXT® LITHIUM-ION 5.0Ah, AC CHARGER, & Tool Bag
REC-MK754MDC	Gear-Drive Cable Cutter Kit (ACSR/AL/CU), (2) MAKITA LXT® LITHIUM-ION 5.0Ah, DC CHARGER, & Tool Bag
REC-MK754MX	Gear-Drive Cable Cutter (ACSR/AL/CU) & Tool Bag

### SERIES 7R

PRODUCT NO.	KIT INCLUDES
REC-RL754M-1	Gear-Drive Cable Cutter Kit (ACSR/AL/CU), (1) MILWAUKEE REDLITHIUM™ 5.0Ah, AC CHARGER, & Tool Bag
REC-RL754MDC-1	Gear-Drive Cable Cutter Kit (ACSR/AL/CU), (1) MILWAUKEE REDLITHIUM™ 5.0Ah, DC CHARGER, & Tool Bag
REC-RL754MX	Gear-Drive Cable Cutter (ACSR/AL/CU) & Tool Bag

SPECIFICATIONS	
WEIGHT (WITH BATTERY)	8.3 lbs (3.8 kg)
DIMENSIONS (H X L X W)	14.0" x 6.5" x 4.5", 355 x 165 x 114 mm

CUTTING CAPACITIES	
ALUMINUM	1500 MCM
COPPER	750 MCM
ACSR	1590 MCM

CUTTING ESTIMATES (5.0Ah BATTERY)	
1590 MCM ACSR	100 Cycles/Charge
750 MCM Copper	100 Cycles/Charge

Huskie Tools is not affiliated with, authorized, or endorsed by Milwaukee Electric Tool Corporation. Milwaukee listed batteries and chargers are being re-sold by Huskie Tools. Milwaukee® M18™ REDLITHIUM™ are registered trademarks of Milwaukee Electric Tool Corporation. Huskie Tools is not affiliated with, authorized, or endorsed by Makita® Corporation. Makita® listed batteries and chargers are being re-sold by Huskie Tools. Makita® and LXT® are registered trademarks of Makita® Corporation.

# REC-MK754ACM & REC-RL754ACM

## GEAR-DRIVEN CABLE CUTTERS (AL/CU)

THE POWER TO CHOOSE.



REC-MK754ACM

### FEATURES

Overload circuit protection if maximum cable size is exceeded

Blade design optimized for clean cuts for AL and CU

2-1/8" jaw opening

One-hand operation

Safety lockout switch

5 Yr. Tool/3 Yr. Battery—  
Huskie Tools Limited Warranty



REC-RL754ACM

### SERIES 7M

PRODUCT NO.	KIT INCLUDES
REC-MK754ACM	Gear-Drive Cable Cutter, Al/Cu, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
REC-MK754ACMDC	Gear-Drive Cable Cutter, Al/Cu, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
REC-MK754ACMX	Gear-Drive Cable Cutter, Al/Cu, Bare Tool with Tool Bag

### SERIES 7R

PRODUCT NO.	KIT INCLUDES
REC-RL754ACM-1	Gear-Drive Cable Cutter, Al/Cu, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 120VAC Charger, Tool Bag
REC-RL754ACMDC-1	Gear-Drive Cable Cutter, Al/Cu, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 12VDC Charger, Tool Bag
REC-RL754ACMX	Gear-Drive Cable Cutter, Al/Cu, Bare Tool with Tool Bag

SPECIFICATIONS	
WEIGHT	7.5 lbs (3.4 kg)
DIMENSIONS (H X L X W)	14.5" x 6.5" x 4.5", 368 x 165 x 114 mm

CUTTING CAPACITIES	
ALUMINUM	1500 MCM
COPPER	1000 MCM
ACSR	DO NOT CUT

CUTTING ESTIMATES (5.0AH BATTERY)	
1500 MCM ALUMINUM	125 Cycles/Charge
1000 MCM COPPER	100 Cycles/Charge

Huskie Tools is not affiliated with, authorized, or endorsed by Milwaukee Electric Tool Corporation. Milwaukee listed batteries and chargers are being re-sold by Huskie Tools. Milwaukee® M18™ REDLITHIUM™ are registered trademarks of Milwaukee Electric Tool Corporation. Huskie Tools is not affiliated with, authorized, or endorsed by Makita® Corporation. Makita® listed batteries and chargers are being re-sold by Huskie Tools. Makita® and LXT® are registered trademarks of Makita® Corporation.

# REC-MK765ACM & REC-RL765ACM

## GEAR-DRIVEN CABLE CUTTERS (AL/CU)



REC-MK765ACM

### FEATURES

Overload circuit protection if maximum cable size is exceeded

Blade design optimized for clean cuts for AL and CU

2-1/2" jaw opening

Increased jaw capacity capable of cutting all 35kV underground cables

One-hand operation

Safety lockout switch

5 Yr. Tool/3 Yr. Battery—Huskie Tools Limited Warranty



REC-RL765ACM

THE POWER TO CHOOSE.

### SERIES 7M

PRODUCT NO.	KIT INCLUDES
REC-MK765ACM	Gear-Drive Cable Cutter, Al/Cu, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
REC-MK765ACMDC	Gear-Drive Cable Cutter, Al/Cu, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
REC-MK765ACMX	Gear-Drive Cable Cutter, Al/Cu, Bare Tool with Tool Bag

### SERIES 7R

PRODUCT NO.	KIT INCLUDES
REC-RL765ACM-1	Gear-Drive Cable Cutter, Al/Cu, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 120VAC Charger, Tool Bag
REC-RL765ACMDC-1	Gear-Drive Cable Cutter, Al/Cu, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 12VDC Charger, Tool Bag
REC-RL765ACMX	Gear-Drive Cable Cutter, Al/Cu, Bare Tool with Tool Bag

### SPECIFICATIONS

WEIGHT	7.5 lbs (3.4 kg)
DIMENSIONS (H X L X W)	14.5" x 6.5" x 4.5", 368 x 165 x 114 mm

### CUTTING CAPACITIES

ALUMINUM	1500 MCM
COPPER	1000 MCM
ACSR	DO NOT CUT

### CUTTING ESTIMATES (5.0Ah BATTERY)

1500 MCM ALUMINUM	125 Cycles/Charge
1000 MCM COPPER	100 Cycles/Charge

Huskie Tools is not affiliated with, authorized, or endorsed by Milwaukee Electric Tool Corporation. Milwaukee listed batteries and chargers are being re-sold by Huskie Tools. Milwaukee® M18™ REDLITHIUM™ are registered trademarks of Milwaukee Electric Tool Corporation. Huskie Tools is not affiliated with, authorized, or endorsed by Makita® Corporation. Makita® listed batteries and chargers are being re-sold by Huskie Tools. Makita® and LXT® are registered trademarks of Makita® Corporation.

THE POWER TO CHOOSE.

# S7L-MK55 & S7L-RL55

## 13 TON 2" GUILLOTINE CABLE CUTTERS



### FEATURES

Cutting capacity up to 2515 ACSR

Improved hydraulics deliver up to 2x faster cutting speeds compared to previous generation tools

180° rotating head for ease-of-use and tool maneuverability

Auto-retract ram increases productivity & provides faster tool reset after completed cycle

Ram retract can also be stopped mid-cycle for faster repeat operation

Improved weather-resistant case design protects tool against rain & debris

Handle-forward design provides improved ergonomics & tool balance

Dual LED lights illuminate workspace in dark conditions

Integral trigger-lock helps prevent inadvertent tool actuation during transport and storage

5 Yr. Tool/3 Yr. Battery & Charger Warranty

### SERIES 7M PRO LINE

PRODUCT NO.	KIT INCLUDES
S7L-MK55	13 Ton Cutting Tool (2" Guillotine Head) Kit, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, AC Charger
S7L-MK55DC	13 Ton Cutting Tool (2" Guillotine Head) Kit, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, DC Charger
S7L-MK55X	13 Ton Cutting Tool (2" Guillotine Head) Bare Tool with Tool Bag

### SERIES 7R PRO LINE

PRODUCT NO.	KIT INCLUDES
S7L-RL55-2	13 Ton Cutting Tool (2" Guillotine Head) Kit, (2) MILWAUKEE REDLITHIUM™ 5.0Ah, AC Charger
S7L-RL55DC-2	13 Ton Cutting Tool (2" Guillotine Head) Kit, (2) MILWAUKEE REDLITHIUM™ 5.0Ah, DC Charger
S7L-RL55X	13 Ton Cutting Tool (2" Guillotine Head) Bare Tool with Tool Bag

SPECIFICATIONS	
CUTTING FORCE	13 Ton
WEIGHT (WITH BATTERY)	22 lbs (9.9 kg)
DIMENSIONS (H X L X W)	10.5" x 24" x 3.5", 266 x 609 x 88 mm
JAW OPENING	2" / 55 mm

CUTTING CAPACITIES	
SOFT STEEL BOLTS	1-1/4"
REBAR, GROUND & ANCHOR ROD	3/4"
CU & AL CABLE	2"
ACSR	Up to 2515
STANDARD GUY CABLE	3/4"
WIRE ROPE	1"

CUTTING ESTIMATES (5.0Ah BATTERY)	
CU & AL CABLE	150 Cycles
ACSR	125 Cycles

Huskie Tools is not affiliated with, authorized, or endorsed by Milwaukee Electric Tool Corporation. Milwaukee listed batteries and chargers are being re-sold by Huskie Tools. Milwaukee® M18™ REDLITHIUM™ are registered trademarks of Milwaukee Electric Tool Corporation. Huskie Tools is not affiliated with, authorized, or endorsed by Makita® Corporation. Makita® listed batteries and chargers are being re-sold by Huskie Tools. Makita® and LXT® are registered trademarks of Makita® Corporation.



# S7L-MK105YC & S7L-RL105YC

## 12 TON 4" SCISSORS CABLE CUTTERS



S7L-MK105YC

S7L-RL105YC

### FEATURES

Improved hydraulics deliver up to 2x faster cutting speeds compared to previous generation tools

270° rotating head for ease-of-use and tool maneuverability

Auto-retract ram increases productivity and provides faster tool reset after completed cycle

Ram retract can also be stopped mid-cycle for faster repeat operation

Improved weather-resistant case design protects tool against rain & debris

Handle-forward design provides improved ergonomics and tool balance

Dual LED lights illuminate workspace in dark conditions

Integral trigger-lock helps prevent inadvertent tool actuation during transport and storage

5 Yr. Tool/3 Yr. Battery & Charger Warranty

THE POWER TO CHOOSE.

### SERIES 7M PRO LINE

PRODUCT NO.	KIT INCLUDES
S7L-MK105YC	12 Ton Cutting Tool (4" Scissor Head) Kit, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, AC Charger
S7L-MK105YCDC	12 Ton Cutting Tool (4" Scissor Head) Kit, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, DC Charger
S7L-MK105YCX	12 Ton Cutting Tool (4" Scissor Head) Bare Tool with Tool Bag

### SERIES 7R PRO LINE

PRODUCT NO.	KIT INCLUDES
S7L-RL105YC-2	12 Ton Cutting Tool (4" Scissor Head) Kit, (2) MILWAUKEE REDLITHIUM™ 5.0Ah, AC Charger
S7L-RL105YCDC-2	12 Ton Cutting Tool (4" Scissor Head) Kit, (2) MILWAUKEE REDLITHIUM™ 5.0Ah, DC Charger
S7L-RL105YCX	12 Ton Cutting Tool (4" Scissor Head) Bare Tool with Tool Bag

#### SPECIFICATIONS

CUTTING FORCE	12 Ton
WEIGHT (WITH BATTERY)	23 lbs (10.4 kg)
DIMENSIONS V (H X L X W)	10.5" x 24" x 3.5", 266 x 609 x 88 mm
JAW OPENING	4.1" / 105 mm

#### CUTTING CAPACITIES

ALUMINUM	4.1" Dia.
TELECOMMUNICATION	4.1" Dia.
LEAD SHEATH	2.5" Dia.
ACSR	Do Not Cut

#### CUTTING ESTIMATES (5.0Ah BATTERY)

1000 MCM COPPER/ ALUMINUM	150 Cycles
------------------------------	------------

Huskie Tools is not affiliated with, authorized, or endorsed by Milwaukee Electric Tool Corporation. Milwaukee listed batteries and chargers are being re-sold by Huskie Tools. Milwaukee® M18™ REDLITHIUM™ are registered trademarks of Milwaukee Electric Tool Corporation. Huskie Tools is not affiliated with, authorized, or endorsed by Makita® Corporation. Makita® listed batteries and chargers are being re-sold by Huskie Tools. Makita® and LXT® are registered trademarks of Makita® Corporation.

THE POWER TO CHOOSE.

# S7L-MK132 & S7L-RL132

## 13 TON 5" GUILLOTINE CABLE CUTTERS



S7L-MK132



S7L-RL132

### FEATURES

Cuts up to 5" dia. CU or AL cables

270° rotating head for ease-of-use and tool maneuverability

Auto-retract ram increases productivity and provides faster tool reset after completed cycle. Ram retract can also be stopped mid-cycle for faster repeat operation

Improved weather-resistant case design protects tool against rain and debris

Handle-forward case design and auxiliary handle provides improved ergonomics and tool balance

Dual LED lights illuminate workspace in dark conditions

Integral trigger-lock helps prevent inadvertent tool actuation during transport and storage

Genuine high-capacity Makita LXT® 18V lithium-ion batteries provide increased cycles per charge

5 Yr. Tool/3 Yr. Battery & Charger Warranty

### SERIES 7M PRO LINE

PRODUCT NO.	KIT INCLUDES
S7L-MK132	13 Ton Cutting Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
S7L-MK132DC	13 Ton Cutting Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
S7L-MK132X	13 Ton Compression Tool and Tool Bag

### SERIES 7R PRO LINE

PRODUCT NO.	KIT INCLUDES
S7L-RL132-2	13 Ton Cutting Tool, (2) MILWAUKEE REDLITHIUM™ 5.0Ah, 120VAC Charger, Tool Bag
S7L-RL132DC-2	13 Ton Cutting Tool, (2) MILWAUKEE REDLITHIUM™ 5.0Ah, 12VDC Charger, Tool Bag
S7L-RL132X	13 Ton Compression Tool and Tool Bag

SPECIFICATIONS	
CUTTING FORCE	13 Ton
WEIGHT (WITH BATTERY)	33 lbs
DIMENSIONS (H X L X W)	10.5" x 31" x 3.5"
JAW OPENING	5"

CUTTING CAPACITIES	
CU/AL CABLE	5"
COMMUNICATIONS	5"
ACSR	DO NOT CUT

Huskie Tools is not affiliated with, authorized, or endorsed by Milwaukee Electric Tool Corporation. Milwaukee listed batteries and chargers are being re-sold by Huskie Tools. Milwaukee® M18™ REDLITHIUM™ are registered trademarks of Milwaukee Electric Tool Corporation. Huskie Tools is not affiliated with, authorized, or endorsed by Makita® Corporation. Makita® listed batteries and chargers are being re-sold by Huskie Tools. Makita® and LXT® are registered trademarks of Makita® Corporation.

# RCC-MK754ACM

## GEAR-DRIVEN REMOTE CABLE CUTTER

THE POWER TO CHOOSE.

### FEATURES

Closed jaw design ensures only desired cable is cut

Operation requires remote control for safe use

LED lights indicate power, blade engagement, pairing, and complete cut

RF Remote control operates tool up to 300 feet away

Dual button action prevents inadvertent tool operation

Grounding Stud provides extra layer of safety

Reliable gear-drive tool delivers proven performance

Inserts for tripod, eye bolts, or other rigging hardware supports hand-free operation

5 Yr. Tool/3 Yr. Battery - Huskie Tools Limited Warranty

RCC-MK754ACM



## SERIES 7M

PRO LINE

PRODUCT NO.	KIT INCLUDES
RCC-MK754ACM	Remote Control Gear-Drive Cable Cutter, (1) RF Remote with 9V Battery, (1) MAKITA LXT® LITHIUM-ION 5.0Ah, (1) MAKITA LXT® LITHIUM-ION 2.0Ah, 120VAC Charger, (1) Tripod, (1) Grounding Stud and Screw, (2) Eye bolts, (1) Tool Case
RCC-MK754ACMDC	Remote Control Gear-Drive Cable Cutter, (1) RF Remote with 9V Battery, (1) MAKITA LXT® LITHIUM-ION 5.0Ah, (1) MAKITA LXT® LITHIUM-ION 2.0Ah, 120VDC Charger, (1) Tripod, (1) Grounding Stud and Screw, (2) Eye bolts, (1) Tool Case
RCC-MK754ACMX	Remote Control Gear-Drive Cable Cutter, (1) RF Remote with 9V Battery, (1) Tripod, (1) Grounding Stud and Screw, (2) Eye bolts, (1) Tool Case

### CUTTING ESTIMATES (5.0Ah BATTERY)

1500 MCM ALUMINUM	125 Cycles/Charge
1000 MCM COPPER	100 Cycles/Charge

### CUTTING CAPACITIES

MAX O.D. CABLE	2 1/8"
----------------	--------

Huskie Tools is not affiliated with, authorized, or endorsed by Milwaukee Electric Tool Corporation. Milwaukee listed batteries and chargers are being re-sold by Huskie Tools. Milwaukee® M18™ REDLITHIUM™ are registered trademarks of Milwaukee Electric Tool Corporation. Huskie Tools is not affiliated with, authorized, or endorsed by Makita® Corporation. Makita® listed batteries and chargers are being re-sold by Huskie Tools. Makita® and LXT® are registered trademarks of Makita® Corporation.





# IL & ECO TOOLS

- Lightweight ergonomic design for easy one-hand operation
- Head rotates 180° for optimum maneuverability in tight work spaces
- Accepts all lbs W", "X" & "O" type dies depending on jaw selected
- 1 yr. Tool/3 yr. Battery—Huskie Tools Limited Warranty



# IL-MK7ND

## 6 TON INLINE COMPRESSION TOOL—WITH CHANGEABLE HEADS

### FEATURES

Motor life is 3x longer than ECO tool

Lightweight ergonomic design for easy one-hand operation

180° rotating head with forged jaws and protective brush guards

Accepts all “W”, “X” & “O” type dies depending on jaw selected

3 yr. Tool/3 yr. Battery— Huskie Tools Limited Warranty

**SERIES 7M**  
PRO LINE

PRODUCT NO.	KIT INCLUDES
IL-MK7ND	6 Ton Compression Tool, ND Jaw, (2) MAKITA LXT® LITHIUM-ION 2.0Ah, 120VAC Charger, Tool Bag
IL-MK7NDDC	6 Ton Compression Tool, ND Jaw, (2) MAKITA LXT® LITHIUM-ION 2.0Ah, 12VDC Charger, Tool Bag
IL-MK7NDX	6 Ton Compression Tool, ND Jaw, Bare Tool with Tool Bag
IL-MK7NDBG	6 Ton Compression Tool, BG Jaw, (2) MAKITA LXT® LITHIUM-ION 2.0Ah, 120VAC Charger, Tool Bag
IL-MK7NDBGDC	6 Ton Compression Tool, BG Jaw, (2) MAKITA LXT® LITHIUM-ION 2.0Ah, 12VDC Charger, Tool Bag
IL-MK7NDBGX	6 Ton Compression Tool, BG Jaw, Bare Tool with Tool Bag
IL-MK7NDO	6 Ton Compression Tool, O Jaw, (2) MAKITA LXT® LITHIUM-ION 2.0Ah, 120VAC Charger, Tool Bag
IL-MK7NDODC	6 Ton Compression Tool, O Jaw, (2) MAKITA LXT® LITHIUM-ION 2.0Ah, 12VDC Charger, Tool Bag
IL-MK7NDOX	6 Ton Compression Tool, O Jaw, Bare Tool with Tool Bag

SPECIFICATIONS	
CRIMP FORCE	6 Ton
WEIGHT	7.3 lbs (3.2 kg)
DIMENSIONS (H X L X W)	18.0" x 4.5" x 3.0" 457 x 114 x 76 mm

CRIMPING ESTIMATES (2.0Ah BATTERY)	
4/0-4/0 H-TAP	150 Cycles/Charge
500 MCM	210 Cycles/Charge

CONNECTOR RANGE	
LUGS & SPLICES	#8 to 500 MCM Cu, #8 to 350 MCM Al
H-TAPS	Up to 4/0-4/0



THE POWER TO CHOOSE.

### AVAILABLE JAWS



ILBG-JAW



ILO-JAW



ILND-JAW

Huskie Tools is not affiliated with, authorized, or endorsed by Milwaukee Electric Tool Corporation. Milwaukee listed batteries and chargers are being re-sold by Huskie Tools. Milwaukee® M18™ REDLITHIUM™ are registered trademarks of Milwaukee Electric Tool Corporation. Huskie Tools is not affiliated with, authorized, or endorsed by Makita® Corporation. Makita® listed batteries and chargers are being re-sold by Huskie Tools. Makita® and LXT® are registered trademarks of Makita® Corporation.

# ECO-MK7EZ

## 6 TON INLINE COMPRESSION TOOL—WITH CHANGEABLE HEADS

THE POWER TO CHOOSE.

### FEATURES

Lightweight ergonomic design for easy one-hand operation

180° rotating head with forged jaws and protective brush guards

Accepts all “W”, “X” & “O” type dies depending on jaw selected

1 yr. Tool/3 yr. Battery— Huskie Tools Limited Warranty



**SERIES 7M**  
PRO LINE

PRODUCT NO.	KIT INCLUDES
ECO-MK7EZBG-1	6 Ton Compression Tool, BG Jaw, (1) MAKITA LXT® LITHIUM-ION 2.0Ah, 120VAC Charger, Tool Bag
ECO-MK7EZBGDC-1	6 Ton Compression Tool, BG Jaw, (1) MAKITA LXT® LITHIUM-ION 2.0Ah, 12VDC Charger, Tool Bag
ECO-MK7EZBGX	6 Ton Compression Tool, BG Jaw Bare Tool with Tool Bag
ECO-MK7EZK-1	6 Ton Compression Tool, K Jaw, (1) MAKITA LXT® LITHIUM-ION 2.0Ah, 120VAC Charger, Tool Bag
ECO-MK7EZKDC-1	6 Ton Compression Tool, K Jaw, (1) MAKITA LXT® LITHIUM-ION 2.0Ah, 12VDC Charger, Tool Bag
ECO-MK7EZKX	6 Ton Compression Tool, K Jaw Bare Tool with Tool Bag
ECO-MK7EZND-1	6 Ton Compression Tool, ND Jaw, (1) MAKITA LXT® LITHIUM-ION 2.0Ah, 120VAC Charger, Tool Bag
ECO-MK7EZNDDC-1	6 Ton Compression Tool, ND Jaw, (1) MAKITA LXT® LITHIUM-ION 2.0Ah, 12VDC Charger, Tool Bag
ECO-MK7EZNDX	6 Ton Compression Tool, ND Jaw Bare Tool with Tool Bag
ECO-MK7EZO-1	6 Ton Compression Tool, O Jaw, (1) MAKITA LXT® LITHIUM-ION 2.0Ah, 120VAC Charger, Tool Bag
ECO-MK7EZODC-1	6 Ton Compression Tool, O Jaw, (1) MAKITA LXT® LITHIUM-ION 2.0Ah, 12VDC Charger, Tool Bag
ECO-MK7EZOX	6 Ton Compression Tool, O Jaw Bare Tool with Tool Bag

### AVAILABLE JAWS



EZND-JAW



EZBG-JAW



EZO-JAW



EZK-JAW



RBC-38-JAW

### SPECIFICATIONS

CRIMP FORCE	6 Ton
WEIGHT	6.5 lbs (2.9 kg)
DIMENSIONS (H X L X W)	20.5" x 3.7" x 2.8" 521 x 94 x 71 mm

### CRIMPING ESTIMATES (2.0Ah BATTERY)

4/0-4/0 H-TAP	300 Cycles/Charge
500 MCM	400 Cycles/Charge

### CONNECTOR RANGE

LUGS & SPLICES	#8 to 500 MCM Cu, #8 to 350 MCM Al
H-TAPS	Up to 4/0-4/0

Huskie Tools is not affiliated with, authorized, or endorsed by Milwaukee Electric Tool Corporation. Milwaukee listed batteries and chargers are being re-sold by Huskie Tools. Milwaukee® M18™ REDLITHIUM™ are registered trademarks of Milwaukee Electric Tool Corporation. Huskie Tools is not affiliated with, authorized, or endorsed by Makita® Corporation. Makita® listed batteries and chargers are being re-sold by Huskie Tools. Makita® and LXT® are registered trademarks of Makita® Corporation.

# ECO-MK7336B

## 6 TON INLINE CUTTING TOOL



### FEATURES

Lightweight ergonomic design

Cuts ACSR/Al/Cu & Std. Guy Wire

Head rotates 180° for optimum maneuverability in tight work spaces

1 Yr. Tool/3 Yr. Battery—Huskie Tools Limited Warranty

**SERIES 7M**  
PRO LINE

PRODUCT NO.	KIT INCLUDES
ECO-MK7336B-1	6 Ton Cutting Tool, (1) MAKITA LXT® LITHIUM-ION 2.0Ah, 120VAC Charger, Tool Bag
ECO-MK7336BDC-1	6 Ton Cutting Tool, (1) MAKITA LXT® LITHIUM-ION 2.0Ah, 12VDC Charger, Tool Bag
ECO-MK7336BX	6 Ton Cutting Tool, Bare Tool with Tool Bag

### SPECIFICATIONS

CUTTING FORCE	6 Ton
WEIGHT	6.8 lbs (3.1 kg)
DIMENSIONS (H X L X W)	19.25" x 3.7" x 2.8" 489 x 94 x 71 mm

### CUTTING CAPACITIES

ACSR	336 MCM
Aluminum	Up to 1" Dia.
Copper	350 MCM
Std. Guy Wire	3/8" Dia.

### CUTTING ESTIMATES (2.0Ah BATTERY)

**336 ACSR** 200 Cycles/Charge

# ECO-MK7500

## 6 TON INLINE CUTTING TOOL



### FEATURES

Improved blade design for easier use and cleaner cuts

Lightweight ergonomic design

One handed operation

Head rotates 180° for optimum maneuverability in tight work spaces

1 Yr. Tool/3 Yr. Battery—Huskie Tools Limited Warranty

**SERIES 7M**  
PRO LINE

PRODUCT NO.	KIT INCLUDES
ECO-MK7500-1	6 Ton Cutting Tool, (1) MAKITA LXT® LITHIUM-ION 2.0Ah, 120VAC Charger, Tool Bag
ECO-MK7500DC-1	6 Ton Cutting Tool, (1) MAKITA LXT® LITHIUM-ION 2.0Ah, 12VDC Charger, Tool Bag
ECO-MK7500X	6 Ton Cutting Tool, Bare Tool with Tool Bag

### SPECIFICATIONS

CUTTING FORCE	6 Ton
WEIGHT	6.8 lbs (3.1 kg)
DIMENSIONS (H X L X W)	19.25" x 3.7" x 2.8", 489 x 94 x 71 mm

### CUTTING CAPACITIES

ACSR	Do Not Cut
Aluminum	Up to 1.25" Dia.
Copper	Up to 500 MCM
Std. Guy Wire	Do Not Cut

### CUTTING ESTIMATES (2.0Ah BATTERY)

**500 MCM AI** 200 Cycles/Charge

THE POWER TO CHOOSE.

Huskie Tools is not affiliated with, authorized, or endorsed by Milwaukee Electric Tool Corporation. Milwaukee listed batteries and chargers are being re-sold by Huskie Tools. Milwaukee® M18™ REDLITHIUM™ are registered trademarks of Milwaukee Electric Tool Corporation. Huskie Tools is not affiliated with, authorized, or endorsed by Makita® Corporation. Makita® listed batteries and chargers are being re-sold by Huskie Tools. Makita® and LXT® are registered trademarks of Makita® Corporation.

# BATTERIES AND CHARGERS

## SERIES 7M

THE POWER TO CHOOSE.

### BATTERY & CHARGER FEATURES

Rapid charging—reaches full charge in 45 minutes or less

Protection against overloading, over-discharging and over-heating

Longer run times and consistent power, even in extreme conditions

Integrated LED battery charge level indicator for easy monitoring

Maintains charge even after long periods of storage

Impact-resistant outer case and shock-absorbing inner liner for protection

3 Yr. Battery and Charger Warranty

### BATTERIES

PRODUCT	DESCRIPTION
BL1820B	Makita 18V LXT® Lithium-Ion Compact 2.0Ah Battery
BL1850B	Makita 18V LXT® Lithium-Ion 5.0Ah Battery



BL1850B

BL1820B

### CHARGERS

PRODUCT	DESCRIPTION
DC18RC	Makita 18V LXT® Lithium-Ion Rapid Optimum Charger (120VAC)
DC18SE	Makita 18V LXT® Lithium-Ion Optimum Automotive Charger (12VDC)



DC18RC

Huskie Tools is not affiliated with, authorized, or endorsed by Milwaukee Electric Tool Corporation. Milwaukee listed batteries and chargers are being re-sold by Huskie Tools. Milwaukee® M18™ REDLITHIUM™ are registered trademarks of Milwaukee Electric Tool Corporation. Huskie Tools is not affiliated with, authorized, or endorsed by Makita® Corporation. Makita® listed batteries and chargers are being re-sold by Huskie Tools. Makita® and LXT® are registered trademarks of Makita® Corporation.



# BATTERIES AND CHARGERS

## SERIES 7R

### BATTERY & CHARGER FEATURES

Onboard battery fuel gauge displays remaining runtime

Battery construction offers long-lasting performance and durability

All-weather performance delivers fade free battery power in extreme conditions

Charger quickly charges all M12™ and M18™ Battery Packs

Charger communicates with the battery pack to ensure a full charge and battery protection

3 Yr. Battery and Charger Warranty

THE POWER TO CHOOSE.

### BATTERIES

PRODUCT	DESCRIPTION
48-11-1820	MILWAUKEE M18™ REDLITHIUM™ CP 2.0 Battery
48-11-1850	MILWAUKEE M18™ REDLITHIUM™ XC 5.0 Battery



48-11-1820

48-11-1850

### CHARGERS

PRODUCT	DESCRIPTION
48-59-1812	MILWAUKEE M18™ & M12™ Multi-Voltage AC Charger
48-59-1810	MILWAUKEE M18™ & M12™ Multi-Voltage DC Charger



48-59-1812

Huskie Tools is not affiliated with, authorized, or endorsed by Milwaukee Electric Tool Corporation. Milwaukee listed batteries and chargers are being re-sold by Huskie Tools. Milwaukee® M18™ REDLITHIUM™ are registered trademarks of Milwaukee Electric Tool Corporation. Huskie Tools is not affiliated with, authorized, or endorsed by Makita® Corporation. Makita® listed batteries and chargers are being re-sold by Huskie Tools. Makita® and LXT® are registered trademarks of Makita® Corporation.

# SERIES 7M & 7R PRODUCT WARRANTY

**HUSKIE TOOLS PRODUCTS CARRY  
A WARRANTY THAT MAKES US  
A LEADER IN THE UTILITY INDUSTRY.**

## PRODUCT WARRANTY

SL & REC Tools	5 Years
IL Tools	3 Years
ECO Tools	1 Year
Makita LXT® Batteries and Chargers	3 Years
Milwaukee® M18™ REDLITHIUM™ Batteries and Chargers	3 Years

The warranty does not cover any damages incurred from a Huskie Tools product including damages to property, bodily injuries and lost wages resulting from such injuries. This warranty solely covers the repair or replacement of tools supplied by Huskie. These remedies are exclusive, and the total liability of Huskie Tools, LLC whether based on contract, warranty, negligence, indemnification, strict liability or otherwise, shall not exceed the purchase price of the tool. In no event, shall Huskie Tools, LLC be liable for consequential, incidental or special damages.

HUSKIE TOOLS, LLC MAKES NO OTHER WARRANTIES OF ANY KIND, EXPRESSED OR IMPLIED, AND ALL IMPLIED WARRANTIES INCLUDING ANY WARRANTY OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

Huskie reserves the right to determine all warranty claims. Huskie will not warranty tools containing parts or batteries not originally supplied by Huskie. Failure due to misuse, improper maintenance, misapplication, not following instructions or warnings, abuse or repairs attempted by anyone other than Huskie Tools, LLC, or an authorized service center renders this warranty null and void.

## REPAIR AND WARRANTY CLAIMS

All claims must be sent to Huskie for inspection and authorization. A Return Goods Authorization (RGA) is required before shipping tools to Huskie. Secure the authorization by telephoning or writing to Huskie's main office with details of the claim. Non-warranty repairs are handled using the same procedure. Repairs exceeding 50 percent of the cost of a new tool will be advised before repairs are made.

REPAIR & WARRANTY INFORMATION CAN ALSO BE FOUND ON OUR WEBSITE AT

[huskietools.com/resources/repairs-and-returns/](http://huskietools.com/resources/repairs-and-returns/)



Huskie Tools is not affiliated with, authorized, or endorsed by Milwaukee Electric Tool Corporation. Milwaukee listed batteries and chargers are being re-sold by Huskie Tools. Milwaukee® M18™ REDLITHIUM™ are registered trademarks of Milwaukee Electric Tool Corporation. Huskie Tools is not affiliated with, authorized, or endorsed by Makita® Corporation. Makita® listed batteries and chargers are being re-sold by Huskie Tools. Makita® and LXT® are registered trademarks of Makita® Corporation.





Huskie Tools is not affiliated with, authorized, or endorsed by Milwaukee Electric Tool Corporation. Milwaukee listed batteries and chargers are being re-sold by Huskie Tools. Milwaukee® M18™ REDLITHIUM™ are registered trademarks of Milwaukee Electric Tool Corporation. Huskie Tools is not affiliated with, authorized, or endorsed by Makita® Corporation. Makita® listed batteries and chargers are being re-sold by Huskie Tools. Makita® and LXT® are registered trademarks of Makita® Corporation.



# BUILT FOR EVERYTHING THAT'S ON THE LINE.™

## INNOVATION.

Since introducing the industry's first battery-powered hydraulic tools in 1989, Huskie Tools remains dedicated to developing product solutions that help ensure linemen safely and efficiently perform some of the most dangerous and demanding jobs on the planet.

## DURABILITY.

Over the years we've developed a bit of a reputation; we like to think legendary. Huskie Tools hydraulics combine the highest quality materials with advanced technology to provide ultimate reliability. Simply put, Huskie Tools are the most durable, dependable, and longest lasting lineman tools in the industry.

## SERVICE & SUPPORT.

We take pride in serving the needs of the utility industry. Through in-depth industry knowledge and unsurpassed tool expertise, Huskie Tools provides truly exceptional customer service, technical support and product service.

## EXPERIENCE.

We've spent the last 45+ years doing one thing, building the best hydraulic cutting and compression tools in the utility industry. We live, eat, and breathe lineman tools. At Huskie Tools they're not just tools, they're our business—our ONLY business.

## FULL LINE.

No other competitor comes close to the breadth of line and complete range of product solutions available from Huskie Tools. When it's on the line, linemen count on Huskie Tools for all their distribution, substation, transmission, overhead and underground projects.



SERIES 7R  
PRO LINE

SERIES 7M  
PRO LINE

Huskie Tools is not affiliated with, authorized, or endorsed by Milwaukee Electric Tool Corporation. Milwaukee listed batteries and chargers are being re-sold by Huskie Tools. Milwaukee® M18™ REDLITHIUM™ are registered trademarks of Milwaukee Electric Tool Corporation. Huskie Tools is not affiliated with, authorized, or endorsed by Makita® Corporation. Makita® listed batteries and chargers are being re-sold by Huskie Tools. Makita® and LXT® are registered trademarks of Makita® Corporation.