

# UTILITY-GRADE CUTTING AND COMPRESSION TOOLS





#### INTRODUCING

## **SERIES 7M PRO-LINE TOOLS**

We've spent the last 40+ years building dependable, reliable and ergonomically superior tools. Whether you need options for overhead, underground, substations, or transmission and distribution projects; HUSKIE TOOLS has the right tool for the job.

Series 7M PRO-LINE Tools deliver proven performance and the most durable, dependable line of cutting and compression tools for the utility market; now designed to work with powerful fast-charging MAKITA® 18V LXT® LITHIUM-ION BATTERIES.





## FEATURES & TECHNOLOGY



## MAKITA® 18V LXT® LITHIUM-ION BATTERY PLATFORM

Featuring consistent power and extended runtimes, these fast charging batteries include an integrated LED battery charge level indicator for easy monitoring.



#### PERFORMANCE, GUARANTEED

SL & REC tools offer 5-Yr. Tool Warranty, IL tools offer 3-Yr. Tool Warranty and ECO offers 1-Yr. Tool Warranty. Makita batteries and chargers are warrantied for 3 Years.



#### **LED WORKLIGHT**

Built-in white LED light aimed at tool jaws for working in low light conditions.



#### **ACSR CABLE CUTTING**

Specially designed jaws for strength and durability when cutting ACSR.



#### LIVE LINE RATED

Tested up to 75kV for use on live line applications without damage to internal circuitry.

## **UTILITY-GRADE**



#### **HUSKIE TOOLS HAS THE RIGHT TOOL FOR YOUR JOB**



**UTILITY GRADE** 

Durable, dependable, built to last LIVE LINE RATED

Tested to 75kV without damage to internal circuitry COMPLETE LINE

6 to 15 ton power

OPTIMIZED HYDRAULICS

Fast advance & retract speeds

RAPID CHARGING

Full charge in 45 minutes or less

CONSTANT POWER

Longer run times, consistent charge

#### **HUSKIE TOOLS**

## **CUTTING & COMPRESSION TOOLS**



HUSKIE TOOLS OFFERS A VARIETY OF CUTTING AND COMPRESSION TOOLS FOR SERVICE ENTRANCE AND TRANSFORMER HOOK-UPS.

These durable compact tools provide 6 Ton compression force and easily handle lugs and splices up to 350 MCM Aluminum or 500 MCM Copper and H-Taps up to 4/0-4/0. Many of these tools feature the convenience of interchangeable jaw sets, allowing use with a wide range of industry standard "W", "X", and "O" type dies and optional cutting jaws with capacity up to 350 MCM Aluminum, 500 MCM Copper and 336 MCM ACSR.



HUSKIE TOOLS ALSO OFFERS A VARIETY OF DIELESS CRIMPING TOOLS FOR NON-TENSION SPLICES AND TERMINATIONS UP TO 750MCM CU/AL.

The four-sided dieless crimp system is specifically designed to crimp Anderson style connectors and others manufactured to ANSI C119.4 specifications. Integrated crimping nibs eliminate the need for individual dies sets and apply 6.2 Ton crimping force equally at four points around lugs and splices creating a secure connection.



LINEMEN DEPEND ON QUALITY HUSKIE TOOLS TO MEET THEIR OVERHEAD TOOL NEEDS.

Our rugged 12 Ton pistol-grip style tools are ergonomically designed and balanced for overhead work on cable tray or from a utility bucket. Easy one-hand tool operation allows the free hand to position the work. Compatible with industry standard "U" dies and Kearney style dies, these tools can handle lugs & splices up to 750 MCM CU/AL and ACSR up to 1033 MCM. Our overhead cutting tools feature specially designed jaws for strength and durability, with cutting capacities up to 1590 MCM ACSR.



LEADING THE INDUSTRY IN DESIGN, PERFORMANCE AND DURABILITY.

Our 15 Ton compression tools are built on our popular inline housing style for ease of use and increased versatility across a wide range of substation and distribution applications. Among the lightest in the industry, these powerful tools with 2" jaw opening are compatible with industry standard "P" dies and are capable of handling lugs and splices up to 1250 MCM Aluminum and 1500 MCM Copper.



## **6 TON INLINE COMPRESSION TOOL**

#### WITH CHANGEABLE HEADS

#### **FEATURES**

- Lightweight ergonomic design for easy one-hand operation
- 180° rotating head with forged jaws and protective brush guards
- Pull-pin head design allows quick change of available jaws
- Accepts all "W", "X" & "O" type dies depending on jaw selected
- 5 yr. Tool / 3 yr. Battery Huskie Tools limited warranty

1/	
·O-	7








#### **CONNECTOR RANGE**

Lugs &	#8 to 500 MCM Cu
Splices	#8 to 350 MCM AI
H-Taps	Up to 4/0-4/0

#### **CUTTING CAPACITIES**

	SL-CHACSR	SL-CHCUAL	SLGW-JAW	
Copper	Up to 350 MCM	Up to 500 MCM	Up to 4/0	
Aluminum	Up to 350 MCM	Up to 1" O.D.	Up to 4/0	
ACSR	Up to 336 MCM	Do Not Cut	Up to 4/0	
EHS Guy Wire, Soft Locks, Soft Steel Bolts	Do Not Cut	Do Not Cut	Up to 3/8" Dia.	







#### **OPTIONAL JAWS** (ORDER SEPARATELY)











SLXPJ-JAW





SLCB-JAW

6

## **6 TON INLINE COMPRESSION TOOL**

#### WITH CHANGEABLE HEADS

#### **FEATURES**

- Lightweight ergonomic design for easy one-hand operation
- 180° rotating head with forged jaws and protective brush guards
- Accepts all "W", "X" & "O" type dies depending on jaw selected
- 3 yr. Tool / 3 yr. Battery Huskie Tools limited warranty

PRODUCT		JAW	BATTERY (QTY)	CHARGER	TOOL BAG				
IL-MK7ND	>		18V/2.0Ah Li-Ion Batteries (2)	120VAC					
IL-MK7NDDC	D JAW		18V/2.0Ah Li-Ion Batteries (2)	12VDC	Included				
IL-MK7NDX	N	ILND-JAW	Not Included	N/A					
IL-MK7NDBG	>	4 4	18V/2.0Ah Li-Ion Batteries (2)	120VAC					
IL-MK7NDBGDC	3 JAW						18V/2.0Ah Li-Ion Batteries (2)	12VDC	Included
IL-MK7NDBGX	BG	ILBG-JAW	Not Included	N/A					
IL-MK7NDO	>	4 4	18V/2.0Ah Li-Ion Batteries (2)	120VAC					
IL-MK7NDODC	JAW		18V/2.0Ah Li-Ion Batteries (2)	12VDC	Included				
IL-MK7NDOX	0	ILO-JAW	Not Included	N/A					



#### **CONNECTOR RANGE**

Lugs &	#8 to 500 MCM Cu
Splices	#8 to 350 MCM AI
H-Taps	Up to 4/0-4/0

#### ECO-MK7EZ

## **6 TON INLINE COMPRESSION TOOL**

#### WITH CHANGEABLE HEADS

#### **FEATURES**

- Lightweight ergonomic design for easy one-hand operation
- 180° rotating head with forged jaws and protective brush guards
- Accepts all "W", "X" & "O" type dies depending on jaw selected
- 1 yr. Tool / 3 yr. Battery Huskie Tools limited warranty

PRODUCT		JAW	BATTERY (QTY)	CHARGER	TOOL BAG
ECO-MK7EZND-1	>	4.3	18V/2.0Ah Li-Ion Batteries (1)	120VAC	
ECO-MK7EZNDDC-1	ND JAW		18V/2.0Ah Li-Ion Batteries (1)	12VDC	Included
ECO-MK7EZNDX	Z	EZND-JAW	Not Included	N/A	
ECO-MK7EZBG-1	>	4 4	18V/2.0Ah Li-Ion Batteries (1)	120VAC	
ECO-MK7EZBGDC-1	G JAW		18V/2.0Ah Li-Ion Batteries (1)	12VDC	Included
ECO-MK7EZBGX	BG	EZBG-JAW	Not Included	N/A	
ECO-MK7EZO-1	>	4 4	18V/2.0Ah Li-Ion Batteries (1)	120VAC	
ECO-MK7EZODC-1	JAW		18V/2.0Ah Li-Ion Batteries (1)	12VDC	Included
ECO-MK7EZOX	0	EZO-JAW	Not Included	N/A	
ECO-MK7EZK-1	>	4.5	18V/2.0Ah Li-Ion Batteries (1)	120VAC	
ECO-MK7EZKDC-1	JAW		18V/2.0Ah Li-Ion Batteries (1)	12VDC	Included
ECO-MK7EZKX	¥	EZK-JAW	Not Included	N/A	



#### CONNECTOR RANGE

Lugs &	#8 to 500 MCM Cu
Splices	#8 to 350 MCM AI
H-Taps	Up to 4/0-4/0

### CUTTING CAPACITIES (RBC-38-JAW)

ACSR	Up to 4/0
Std. Guy Wire, Soft Locks, Soft Steel Bolts	Up to 3/8" Dia.

## **6 TON COMPRESSION TOOL**

#### WITH CHANGEABLE HEADS

#### **FEATURES**

- Optimized hydraulics for faster advance and retract speeds vs. previous generation
- Patent-pending selectable autoretract switch
- 180° rotating head with forged jaws and protective brush guards
- Pull-pin head design allows quick change of available jaws
- Accepts all "W", "X" & "O" type dies depending on jaw selected
- 5 yr. Tool / 3 yr. Battery Huskie Tools limited warranty

#### **CONNECTOR RANGE**

Lugs & Splices	#8 to 500 MCM Cu, #8 to 350 MCM AI		
H-Taps	Up to 4/0-4/0		

#### **CUTTING CAPACITIES**

	SL-CHACSR	SL-CHCUAL	SLGW-JAW	
Copper	Up to 350 MCM	Up to 500 MCM	Up to 4/0	
Aluminum	Up to 350 MCM	Up to 1" O.D.	Up to 4/0	
ACSR	Up to 336 MCM	Do Not Cut	Up to 4/0	
EHS Guy Wire, Soft Locks, Soft Steel Bolts	Do Not Cut	Do Not Cut	Up to 3/8" Dia.	

PRODUCT		JAW	BATTERY (QTY)	CHARGER	TOOL BAG
REC-MK7NDSL	>	6.5	18V/5.0Ah Li-Ion Batteries (2)	120VAC	
REC-MK7NDSLDC	ND JAW		18V/5.0Ah Li-Ion Batteries (2)	12VDC	Included
REC-MK7NDSLX	Z	SLND3-JAW	Not Included	N/A	
REC-MK7NDSLBG	>	<b>* *</b>	18V/5.0Ah Li-Ion Batteries (2)	120VAC	
REC-MK7NDSLBGDC	BG JAW		18V/5.0Ah Li-Ion Batteries (2)	12VDC	Included
REC-MK7NDSLBGX	ă	SLBG-JAW	Not Included	N/A	
REC-MK7NDSLO	>	4 4	18V/5.0Ah Li-Ion Batteries (2)	120VAC	
REC-MK7NDSLODC	JAW		18V/5.0Ah Li-Ion Batteries (2)	12VDC	Included
REC-MK7NDSLOX	0	SLO-JAW	Not Included	N/A	
REC-MK7NDSLK	>	WAL	18V/5.0Ah Li-Ion Batteries (2)	120VAC	
REC-MK7NDSLKDC	JAW		18V/5.0Ah Li-Ion Batteries (2)	12VDC	Included
REC-MK7NDSLKX	×	SLK-JAW	Not Included	N/A	















**[**5]

SLXPJ-JAW SL

#### REC-MK758U

### **6 TON COMPRESSION TOOL**

#### **FEATURES**

- Optimized hydraulics offer 20% faster advance & 30% faster retraction than previous generation
- Patent-pending selectable auto-retract switch
- Accepts all "W", "X" & "O" type dies
- 5 yr. Tool / 3 yr. Battery Huskie Tools limited warranty

#### CONNECTOR RANGE

Lugs & Splices	#8 to 500 MCM Cu #8 to 350 MCM AI
H-Taps	Up to 4/0-4/0

PRODUCT	BATTERY (QTY)	CHARGER	TOOL BAG
REC-MK758U	18V/5.0Ah Li-Ion Batteries (2)	120VAC	Included
REC-MK758UDC	18V/5.0Ah Li-Ion Batteries (2)	12VDC	Included
REC-MK758UX	Not Included	N/A	Included



## **6.2 TON DIELESS COMPRESSION TOOLS**

#### **FEATURES**

- Four integrated crimping nibs eliminate need for multiple die sets
- Crimps Anderson connectors and others manufactured to ANSI C119.4
- Head rotates 360° for optimun maneuvarability in tight work spaces
- Pistol-grip tools feature optimized hydraulics for faster advance and retract speeds vs. previous generation
- Pistol-grip tools feature patent-pending selectable auto-retract switch
- 5 yr. Tool / 3 yr. Battery Huskie Tools limited warranty

#### **CONNECTOR RANGE**

Lugs & Splices	
SL-MK7630,	#6 to 500 MCM Cu
REC-MK7630	#8 to 500 MCM AI
SL-MK7750,	#6 to 500 MCM Cu
REC-MK7750	#8 to 750 MCM AI











#### SL-MK7630

PRODUCT	BATTERY (QTY)	CHARGER	TOOL BAG
SL-MK7630	18V/5.0Ah Li-Ion Batteries (2)	120VAC	Included
SL-MK7630DC	18V/5.0Ah Li-Ion Batteries (2)	12VDC	Included
SL-MK7630X	Not Included	N/A	Included

#### REC-MK7630

PRODUCT	BATTERY (QTY)	CHARGER	TOOL BAG
REC-MK7630	18V/5.0Ah Li-Ion Batteries (2)	120VAC	Included
REC-MK7630DC	18V/5.0Ah Li-Ion Batteries (2)	12VDC	Included
REC-MK7630X	Not Included	N/A	Included

#### SL-MK7750

PRODUCT	BATTERY (QTY)	CHARGER	TOOL BAG
SL-MK7750	18V/5.0Ah Li-Ion Batteries (2)	120VAC	Included
SL-MK7750DC	18V/5.0Ah Li-Ion Batteries (2)	12VDC	Included
SL-MK7750X	Not Included	N/A	Included

#### REC-MK7750

PRODUCT	BATTERY (QTY)	CHARGER	TOOL BAG
REC-MK7750	18V/5.0Ah Li-Ion Batteries (2)	120VAC	Included
REC-MK7750DC	18V/5.0Ah Li-Ion Batteries (2)	12VDC	Included
REC-MK7750X	Not Included	N/A	Included



#### REC-MK7510 & REC-MK7430

## 12 TON COMPRESSION TOOLS

#### **FEATURES**

- Optimized hydraulics offer 20% faster advance and 30% faster retraction speeds than previous generation tools
- Patent-pending selectable auto-retract switch
- Protective rubber boot on "C" head helps prevent accidental contact with energized circuits
- Designed for use in single-handed operation in overhead line applications

- Accepts all "U" type industry standard die sets
- Open "C" head design allows user to place compression head over the connector without having to close a latch before starting a compression cycle
- Head rotates 180° for optimum maneuverability in tight work spaces
- 5 Yr. Tool / 3 Yr. Battery Huskie Tools Limited Warranty

#### **CONNECTOR RANGE REC-MK7510**

**Lugs & Splices** 

Up to 750 MCM AI/Cu

#### **CONNECTOR RANGE REC-MK7430**

Lugs	Up to 750 MCM AI/Cu
Splices	Up to 600 MCM AI/Cu













#### REC-MK7510

PRODUCT	BATTERY (QTY)	CHARGER	TOOL BAG
REC-MK7510	18V/5.0Ah Li-Ion Batteries (2)	120VAC	Included
REC-MK7510DC	18V/5.0Ah Li-Ion Batteries (2)	12VDC	Included
REC-MK7510X	Not Included	N/A	Included

#### REC-MK7430

PRODUCT	BATTERY (QTY)	CHARGER	TOOL BAG
REC-MK7430	18V/5.0Ah Li-Ion Batteries (2)	120VAC	Included
REC-MK7430DC	18V/5.0Ah Li-Ion Batteries (2)	12VDC	Included
REC-MK7430X	Not Included	N/A	Included

#### REC-MK7510K

REC-MK7510K

### 12 TON COMPRESSION TOOL

#### **FEATURES**

- Protective rubber boot on "C" head helps prevent accidental contact with energized circuits
- Open "C" head design allows user to place compression head over the connector without having to close a latch before starting a compression cycle
- Accepts all WH-2, WH-3 and PH-2 Kearney style die sets
- Head rotates 180° for optimum maneuverability in tight work spaces
- 5 Yr. Tool / 3 Yr. Battery Huskie Tools Limited Warranty

PRODUCT	BATTERY (QTY)	CHARGER	TOOL BAG
REC-MK7510K	18V/5.0Ah Li-Ion Batteries (2)	120VAC	Included
REC-MK7510KDC	18V/5.0Ah Li-Ion Batteries (2)	12VDC	Included
REC-MK7510KX	Not Included	N/A	Included

#### **CONNECTOR RANGE**

Lugs	Up to 1033 ACSR
Splices	Up to 477 ACSR











### 12 TON INLINE DIELESS COMPRESSION TOOL

#### **FEATURES**

- Protective rubber boot on "C" head helps prevent accidental contact with energized circuits
- Dieless indent style crimping nib eliminates the need for multiple die sets
- Head rotates 180° for optimum maneuverability in tight work spaces
- 5 Yr. Tool / 3 Yr. Battery Huskie Tools Limited Warranty

#### CONNECTOR RANGE

#8 to 1000 MCM Cu #8 to 1000 MCM AI

#### SL-MKC71000

PRODUCT	BATTERY (QTY)	CHARGER	TOOL BAG
SL-MKC71000	18V/5.0Ah Li-Ion Batteries (2)	120VAC	Included
SL-MKC71000DC	18V/5.0Ah Li-Ion Batteries (2)	12VDC	Included
SL-MKC71000X	Not Included	N/A	Included



#### SL-MKC7510 & SL-MK7510K

### 12 TON INLINE COMPRESSION TOOLS

#### **FEATURES**

- Protective rubber boot on "C" head helps prevent accidental contact with energized circuits
- Head rotates 180° for optimum maneuverability in tight work spaces
- Open "C" head design allows user to place compression head over the connector without having to close a latch before starting a compression cycle
- SL-MKC7510 accepts all "U" type industry standard die sets

- SL-MKC7510K accepts all WH-2, WH-3 and PH-2 Kearney style die sets
- 5 Yr. Tool / 3 Yr. Battery Huskie Tools Limited Warranty

#### **CONNECTOR RANGE SL-MKC7510**

#### CONNECTOR RANGE SL-MKC7510K

Lugs	Up to 1033 ACSR
Splices	Up to 477 ACSR

#### SL-MKC7510

PRODUCT	BATTERY (QTY)	CHARGER	TOOL BAG
SL-MKC7510	18V/5.0Ah Li-Ion Batteries (2)	120VAC	Included
SL-MKC7510DC	18V/5.0Ah Li-Ion Batteries (2)	12VDC	Included
SL-MKC7510X	Not Included	N/A	Included

#### **SL-MK7510K**

PRODUCT	BATTERY (QTY)	CHARGER	TOOL BAG
SL-MK7510K	18V/5.0Ah Li-Ion Batteries (2)	120VAC	Included
SL-MK7510KDC	18V/5.0Ah Li-Ion Batteries (2)	12VDC	Included
SL-MK7510KX	Not Included	N/A	Included





## 15 TON INLINE COMPRESSION TOOL

#### **FEATURES**

- Protective brush guard on latched head helps prevent accidental contact with energized circuits
- Accepts all "P" type industry standard die sets, as well as "U" type industry standard dies with the use of the PU-15 die adapter
- Head rotates 180° for optimum maneuverability in tight work spaces

• 5 Yr. Tool / 3 Yr. Battery - Huskie Tools Limited Warranty

#### **CONNECTOR RANGE**

Aluminum #8 to 1250 MCM		
Copper	#8 to 1500 MCM	
H-Tap	Up to 750/750 MCM	









#### SL-MK7610

PRODUCT	BATTERY (QTY)	CHARGER	TOOL BAG
SL-MK7610	18V/5.0Ah Li-Ion Batteries (2)	120VAC	Included
SL-MK7610DC	18V/5.0Ah Li-Ion Batteries (2)	12VDC	Included
SL-MK7610X	Not Included	N/A	Included



#### SL-MKC7610

### 15 TON INLINE COMPRESSION TOOL

#### **FEATURES**

- Protective rubber boot on "C" head helps prevent accidental contact with energized circuits
- Accepts all "P" type industry standard die sets, as well as "U" type industry standard dies with the use of the PU-15 die adapter
- Open "C" head design allows user to place compression head over the connector without having to close a latch before starting a compression cycle
- Head rotates 180° for optimum maneuverability in tight work spaces
- 5 Yr. Tool / 3 Yr. Battery Huskie Tools Limited Warranty

#### **CONNECTOR RANGE**

Aluminum #8 to 1250 MCM	
Copper #8 to 1500 MCM	
Н-Тар	Up to 750/750 MCM









#### SL-MKC7610

PRODUCT	BATTERY (QTY)	CHARGER	TOOL BAG
SL-MKC7610	18V/5.0Ah Li-Ion Batteries (2)	120VAC	Included
SL-MKC7610DC	18V/5.0Ah Li-Ion Batteries (2)	12VDC	Included
SL-MKC7610X	Not Included	N/A	Included





## **GEAR-DRIVEN CABLE CUTTER (ACSR/AL/CU)**

#### **FEATURES**

- Improved ergonomic handle
- 2-1/8" jaw opening
- Cuts up to 1590 ACSR
- One-hand operation
- Safety lockout switch
- Powerful motor and gear system
- Tested to 75kV for live line use without damage to internal circuitry
- 5 Yr. Tool / 3 Yr. Battery Huskie **Tools Limited Warranty**

#### **CUTTING CAPACITIES**

Aluminum	Up to 1500 MCM	
Copper	Up to 750 MCM	
ACSR	Up to 1590 MCM	











#### REC-MK754M

PRODUCT	BATTERY (QTY)	CHARGER	TOOL BAG
REC-MK754M	18V/5.0Ah Li-Ion Batteries (2)	120VAC	Included
REC-MK754MDC	18V/5.0Ah Li-Ion Batteries (2)	12VDC	Included
REC-MK754MX	Not Included	N/A	Included

#### REC-MK754ACM

## **GEAR-DRIVE CABLE CUTTER (AL/CU)**

#### **FEATURES**

- Improved ergonomic handle
- 2-1/8" jaw opening
- Cuts up to 1500 MCM AI
- One-hand operation
- Safety lockout switch
- Powerful motor and gear system
- Tested to 75kV for live line use without damage to internal circuitry
- 5 Yr. Tool / 3 Yr. Battery Huskie Tools Limited Warranty

#### **CUTTING CAPACITIES**

Aluminum	Up to 1500 MCM
Copper	Up to 1000 MCM
ACSR	Do Not Cut







## REC-MK754ACM

PRODUCT	BATTERY (QTY)	CHARGER	TOOL BAG
REC-MK754ACM	18V/5.0Ah Li-Ion Batteries (2)	120VAC	Included
REC-MK754ACMDC	18V/5.0Ah Li-Ion Batteries (2)	12VDC	Included
REC-MK754ACMX	Not Included	N/A	Included



## **6 TON INLINE CUTTING TOOLS**

#### ECO-MK7500

#### **FEATURES**

- Lightweight ergonomic design
- One handed operation
- Head rotates 180° for optimum maneuverability in tight work spaces
- 1 Yr. Tool / 3 Yr. Battery Huskie Tools Limited Warranty

#### **CUTTING CAPACITIES**

Aluminum	Up to 1" Dia.	
Copper	Up to 500 MCM	
ACSR	Do Not Cut	
Std. Guy Wire	Do Not Cut	

PRODUCT	BATTERY (QTY)	CHARGER	TOOL BAG
ECO-MK7500	18V/2.0Ah Li-Ion Batteries (1)	120VAC	Included
ECO-MK7500DC	18V/2.0Ah Li-Ion Batteries (1)	12VDC	Included
ECO-MK7500X	Not Included	N/A	Included



#### ECO-MK7336B

#### **FEATURES**

- Lightweight ergonomic design
- Cuts ACSR/AI/Cu & Std. Guy Wire
- Head rotates 180° for optimum maneuverability in tight work spaces
- 1 Yr. Tool / 3 Yr. Battery Huskie Tools Limited Warranty

#### **CUTTING CAPACITIES**

ACSR	Up to 336 MCM
Aluminum Up to 1" Dia.	
Copper*	Up to 500 MCM
Std. Guy Wire	Up to 3/8" Dia.

<sup>\*</sup>Does not cut all 500 MCM Cu. Consult factory.

Limited Warranty			
PRODUCT	BATTERY (QTY)	CHARGER	TOOL BAG
ECO-MK7336B-1	18V/2.0Ah Li-Ion Batteries (1)	120VAC	Included
ECO-MK7336BDC-1	18V/2.0Ah Li-Ion Batteries (1)	12VDC	Included
ECO-MK7336BX	Not Included	N/A	Included



#### SL-MKS720

#### FEATURES

- Latched cutting head for superior shear strength on tough materials
- Head rotates 180° for optimum maneuverability in tight work spaces
- 5 Yr. Tool / 3 Yr. Battery Huskie Tools Limited Warranty

#### **CUTTING CAPACITIES**

Wire Rope	Up to 5/8" Dia.
<b>Rebar (Sc 40)</b> Up to 1/2" Dia.	
Rebar (Sc 60)	Up to 3/8" Dia.
Ground Rod Up to 1/2" Dia.	
ACSR	Up to 477 MCM
Std. Guy Wire	Up to 3/8" Dia.

PRODUCT	BATTERY (QTY)	CHARGER	TOOL BAG
SL-MKS720	18V/5.0Ah Li-Ion Batteries (2)	120VAC	Included
SL-MKS720DC	18V/5.0Ah Li-Ion Batteries (2)	12VDC	Included
SL-MKS720X	Not Included	N/A	Included



### 6.6 TON CUTTING TOOL

## 









#### **FEATURES**

- Optimized hydraulics for faster advance and retract speeds vs. previous generation
- Patent-pending selectable auto-retract switch
- Head rotates 180° for optimum maneuverability in tight work spaces

• 5 Yr. Tool / 3 Yr. Battery - Huskie Tools Limited Warranty

#### **CUTTING CAPACITIES**

ACSR*	Up to 336 MCM
Copper	Up to 500 MCM
Aluminum	Up to 1.18" O.D.
Std. Guy Wire	Up to 3/8" Dia.
Rebar	Do Not Cut



#### REC-MK730Y

PRODUCT	BATTERY (QTY)	CHARGER	TOOL BAG
REC-MK730Y	18V/5.0Ah Li-Ion Batteries (2)	120VAC	Included
REC-MK730YDC	18V/5.0Ah Li-Ion Batteries (2)	12VDC	Included
REC-MK730YX	Not Included	N/A	Included

<sup>\*</sup>NOTE: This tool is not recommended for cutting 4/0 Penguin or 3/0 Pigeon ACSR cables.

#### REC-MK734YC & REC-MK760YC

## **6.6 TON CUTTING TOOLS**

#### **FEATURES**

- Optimized hydraulics offer 20% faster advance and 30% faster retraction speeds than previous generation tools
- Patent-pending selectable auto-retract switch
- Open scissor type cutting blades allow for easy cable insertion and positioning without the need to latch the head closed prior to cutting
- Head rotates 180° for optimum maneuverability in tight work spaces
- 5 Yr. Tool / 3 Yr. Battery Huskie Tools Limited Warranty

#### **CUTTING CAPACITIES**

	REC-MK734YC	REC-MK760YC
Aluminum	Up to 1.4" Dia.	Up to 2" Dia.
Copper	Up to 800 MCM	Up to 500 MCM
ACSR	Do Not Cut	Do Not Cut

PRODUCT	BATTERY (QTY)	CHARGER	TOOL BAG
REC-MK734YC	18V/5.0Ah Li-Ion Batteries (2)	120VAC	Included
REC-MK734YCDC	18V/5.0Ah Li-Ion Batteries (2)	12VDC	Included
REC-MK734YCX	Not Included	N/A	Included

#### REC-MK760YC

REC-MK734YC

PRODUCT	BATTERY (QTY)	CHARGER	TOOL BAG
REC-MK760YC	18V/5.0Ah Li-Ion Batteries (2)	120VAC	Included
REC-MK760YCDC	18V/5.0Ah Li-Ion Batteries (2)	12VDC	Included
REC-MK760YCX	Not Included	N/A	Included















#### SL-MKS740L

### 8 TON INLINE CUTTING TOOL

#### **FEATURES**

- Latched cutting head for superior shear strength on tough materials
- Head rotates 180° for optimum maneuverability in tight work spaces
- 5 Yr. Tool / 3 Yr. Battery Huskie Tools Limited Warranty

#### **CUTTING CAPACITIES**

Wire Rope	Up to 3/4" Dia.
Rebar (Sc 40)	Up to 5/8" Dia.
Rebar (Sc 60)	Up to 5/8" Dia.
Ground Rod	Up to 5/8" Dia.
ACSR	Up to 1590 MCM
Std. Guy Wire*	Up to 5/8" Dia.
Cu/Al Cable	Up to 15" Dia











#### SL-MKS740L

PRODUCT	BATTERY (QTY)	CHARGER	TOOL BAG
SL-MKS740L	18V/5.0Ah Li-Ion Batteries (2)	120VAC	Included
SL-MKS740LDC	18V/5.0Ah Li-Ion Batteries (2)	12VDC	Included
SL-MKS740LX	Not Included	N/A	Included

\*NOTE: Do Not Cut EHS Guy Wire or Case Hardened Steel Rods. See REC-MKS724CC or S-240CC and S-32CC Manual Tools or SP-24CC and SP-32CC1 Remote Tools.



#### REC-MKS740L

### 8 TON CUTTING TOOL

#### **FEATURES**

- Optimized hydraulics for faster advance and retract speeds vs. previous generation
- Patent-pending selectable autoretract switch
- Latched cutting head for superior shear strength on tough materials
- Head rotates 180° for optimum maneuverability in tight work spaces



Battery - Huskie Tools

• 5 Yr. Tool / 3 Yr.

Wire Rope	Up to 3/4" Dia.
Rebar (Sc 40)	Up to 5/8" Dia.
Rebar (Sc 60)	Up to 5/8" Dia.
Ground Rod	Up to 5/8" Dia.
ACSR	Up to 1590 MCM
Std. Guy Wire*	Up to 5/8" Dia.
Cu/Al Cable	Up to 1.5" Dia.











#### REC-MKS740L

PRODUCT	BATTERY (QTY)	CHARGER	TOOL BAG
REC-MKS740L	18V/5.0Ah Li-Ion Batteries (2)	120VAC	Included
REC-MKS740LDC	18V/5.0Ah Li-Ion Batteries (2)	12VDC	Included
REC-MKS740LX	Not Included	N/A	Included


\*NOTE: Do Not Cut EHS Guy Wire or Case Hardened Steel Rods. See REC-MKS724CC or S-240CC and S-32CC Manual Tools or SP-24CC and SP-32CC1 Remote Tools.

Huskie SERES

## 8 TON CUTTING TOOL

#### **FEATURES**

- Optimized hydraulics for faster advance and retract speeds vs. previous generation
- Patent-pending selectable
- Head rotates 180° for optimum maneuverability in tight work spaces













• 5 Yr. Tool / 3 Yr. Battery -Huskie Tools Limited Warranty

#### **CUTTING CAPACITIES**

Wire Rope	Up to 7/8" Dia.
Rebar (Sc 40)	Up to 5/8" Dia.
Rebar (Sc 60)	Up to 1/2" Dia.
Ground Rod	Up to 5/8" Dia.
ACSR	Up to 477 MCM
Std. Guy Wire	Up to 5/8" Dia.
EHS Guy Wire	Up to 7/16" Dia.



#### REC-MKS724H

PRODUCT	BATTERY (QTY)	CHARGER	TOOL BAG
REC-MKS724H	18V/5.0Ah Li-Ion Batteries (2)	120VAC	Included
REC-MKS724HDC	18V/5.0Ah Li-Ion Batteries (2)	12VDC	Included
REC-MKS724HX	Not Included	N/A	Included

NOTE: Do Not Cut Case Hardened Steel Rods. See REC-MKS724CC. or SP-24CC and SP-32CC1 Remote Tools, or S-240CC and S-32CC Manual Tools.

#### REC-MKS724CC

## 8 TON CUTTING TOOL

#### **FEATURES**

- Optimized hydraulics for faster advance and retract speeds vs. previous generation
- Patent-pending selectable auto-retract switch
- Latched cutting head for superior shear strength on tough materials
- Specifically designed anvil blades made to cut EHS guy wire up to 9/16"
- Head rotates 180° for optimum maneuverability in tight work spaces
- 5 Yr. Tool / 3 Yr. Battery Huskie Tools Limited Warranty

#### **CUTTING CAPACITIES**

ACSR	Up to 477 MCM
Std. Guy Wire	Up to 5/8" Dia.
EHS Guy Wire	Up to 9/16" Dia.
Ground Rod	Up to 5/8" Dia.
Rebar (Sc 40)	Up to 5/8" Dia.











#### REC-MKS724CC

PRODUCT	BATTERY (QTY)	CHARGER	TOOL BAG
REC-MKS724CC	18V/5.0Ah Li-Ion Batteries (2)	120VAC	Included
REC-MKS724CCDC	18V/5.0Ah Li-Ion Batteries (2)	12VDC	Included
REC-MKS724CCX	Not Included	N/A	Included



### 12 TON CUTTING TOOL

#### **FEATURES**

- Optimized hydraulics offer 20% faster advance and 30% faster retraction cycles than previous generation tools for an overall reduction in wait time between compression or cutting cycles
- Patent-pending selectable auto-retract switch
- Head rotates 180° for optimum maneuverability in tight work spaces
- Open scissor type cutting blades allow for easy cable insertion and positioning without the need to latch the head closed prior to cutting
- Sidebar handle for stability and balance
- 5 Yr. Tool / 3 Yr. Battery Huskie Tools Limited Warranty











#### REC-MK7105YC

PRODUCT	BATTERY (QTY)	CHARGER	TOOL BAG
REC-MK7105YC	18V/5.0Ah Li-Ion Batteries (2)	120VAC	Included
REC-MK7105YCDC	YCDC 18V/5.0Ah Li-Ion Batteries (2)		Included
REC-MK7105YCX	Not Included	N/A	Included

#### SL-MK795YC

## 12 TON INLINE CUTTING TOOL

#### **FEATURES**

- Open scissor type cutting blades allow for easy cable insertion and positioning without the need to latch the head closed prior to cutting
- Sidebar style handles for stability and ergonomic two-hand grip
- Head rotates 180° for optimum maneuverability in tight work spaces
- 5 Yr. Tool / 3 Yr. Battery Huskie Tools Limited Warranty

#### **CUTTING CAPACITIES**

Aluminum	Up to 3.7" Dia.
Telecommunication	Up to 3.7" Dia.
Lead Sheath Up to 2.5" Dia	
ACSR	Do Not Cut









#### SL-MK795YC

PRODUCT	BATTERY (QTY)	CHARGER	TOOL BAG
SL-MK795YC	18V/5.0Ah Li-Ion Batteries (2)	120VAC	Included
SL-MK795YCDC	18V/5.0Ah Li-Ion Batteries (2)	12VDC	Included
SL-MK795YCX	Not Included	N/A	Included



## **BATTERIES AND CHARGERS**

#### **BATTERY FEATURES**

- Rapid charging—reaches full charge in 45 minutes or less
- Protection against overloading, overdischarging and over-heating
- Longer run times and consistent power, even in extreme conditions
- Integrated LED battery charge level indicator for easy monitoring
- Maintains charge even after long periods of storage
- Impact-resistant outer case and shockabsorbing inner liner for protection
- 3 Yr. Battery and Charger Warranty

#### **BATTERIES**

PRODUCT	DESCRIPTION
BL1820B	Makita 18V LXT® Lithium-Ion Compact 2.0Ah Battery
BL1850B	Makita 18V LXT® Lithium-Ion 5.0Ah Battery
BL1820B-2	Makita 18V LXT® Lithium-Ion Compact 2.0Ah Battery, 2/pk
BL1850B-2	Makita 18V LXT® Lithium-Ion 5.0Ah Battery, 2/pk



#### **CHARGERS**

PRODUCT	DESCRIPTION
DC18RC	Makita 18V LXT* Lithium-Ion Rapid Optimum Charger (120VAC)
DC18SE	Makita 18V LXT® Lithium-Ion Optimum Automotive Charger (12VDC)



#### BATTERY/CHARGER SET

PRODUCT	DESCRIPTION
BL1820BDC1	Makita 18V LXT* Lithium-Ion Compact 2.0Ah Battery and Charger Starter Pack
BL1850BDC1	Makita 18V LXT® Lithium-Ion 5.0Ah Battery and Charger Starter Pack
BL1850B2DC2	Makita 18V LXT* Lithium-Ion 5.0Ah Battery and Dual Port Charger Starter Pack



### SERIES 7M PRODUCT WARRANTY

## Huskie Tools products carry a warranty that makes us a leader in the utility industry.

#### **PRODUCT WARRANTY**

SL & REC Tools 5 Years

IL Tools 3 Years

ECO Tools 1 Year

Makita LXT\* Batteries and Chargers 3 Years

The warranty does not cover any damages incurred from a Huskie tool including damages to property, bodily injuries and lost wages resulting from such injuries. This warranty solely covers the repair or replacement of tools supplied by Huskie. These remedies are exclusive, and the total liability of Huskie Tools, LLC whether based on contract, warranty, negligence, indemnification, strict liability or otherwise, shall not exceed the purchase price of the tool. In no event, shall Huskie Tools, LLC be liable for consequential, incidental or special damages.

HUSKIE TOOLS, LLC MAKES NO OTHER WARRANTIES OF ANY KIND, EXPRESSED OR IMPLIED, AND ALL IMPLIED WARRANTIES INCLUDING ANY WARRANTY OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.


Huskie reserves the right to determine all warranty claims. Huskie will not warranty tools containing parts or batteries not originally supplied by Huskie. Failure due to misuse, improper maintenance, misapplication, not following instructions or warnings, abuse or repairs attempted by anyone other than Huskie Tools, LLC, or an authorized service center renders this warranty null and void.

#### **REPAIR AND WARRANTY CLAIMS**

All claims must be sent to Huskie for inspection and authorization. A Return Goods Authorization (RGA) is required before shipping tools to Huskie. Secure the authorization by telephoning or writing to Huskie's main office with details of the claim.

Non-warranty repairs are handled using the same procedure. Repairs exceeding 50 percent of the cost of a new tool will be advised before repairs are made.









## PROVEN PERFORMANCE.

**HUSKIETOOLS.COM** 

800-860-6170

195 Internationale Blvd Glendale Heights, IL 60139

 $\ensuremath{\text{@}}$  2019 Huskie Tools. All Rights Reserved. Printed in the USA.